



Status Report

CITATION M2

S/N 525-1081 N916JL

OWNER: CHARLIE ROMEO LLC ADDRESS: 1 CHENAL VILLAGE CIRCLE LITTLE ROCK AR 72223 OFFICE: FAX:	OPERATOR: CHARLIE ROMEO LLC ADDRESS: 1 CHENAL VILLAGE CIRCLE LITTLE ROCK AR 72223 OFFICE: FAX:	OPERATOR: CENTRAL FLYING SERVICE, LLC ADDRESS: 2301 CRISP DR. LITTLE ROCK AR 72202 OFFICE: 501-375-3245 FAX: 501-375-7274	
ANALYST: KIM DUMCUM EMAIL: KDUMCUM@CAMPSYSTEMS.COM	1-866-581-2267 (OFFICE) 316-462-2442 (FAX) WWW.CAMPSYSTEMS.COM	800-787-9749 (EFAX-CARDS) 631-980-4222 (EFAX-CARDS)	PLEASE REACH OUT TO YOUR ANALYST TO RECORD CHANGES TO ADDRESS, LAST ACTUALS (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 525-1081/N916JL	MODEL: CITATION M2	MANUFACTURER: TEXTRON AVIATION INC.
	CERTIFICATION DATE: 17-MAY-2021	LAST ACTUALS:	
		444.8 A/C HRS	as of 31-AUG-2023
		369 AFL	as of 31-AUG-2023
		294.4 ACH	as of 31-AUG-2023

ENGINE NO. 1	SERIAL/PART: 290565/72100-201	MODEL: FJ44-1AP	MANUFACTURER: WILLIAMS INTERNATIONAL
	INSTALLED ON: 12-MAY-2021	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	444.8 ENG. HRS	as of 31-AUG-2023
	0 ENC	369 ENC	as of 31-AUG-2023

ENGINE NO. 2	SERIAL/PART: 290566/72100-201	MODEL: FJ44-1AP	MANUFACTURER: WILLIAMS INTERNATIONAL
	INSTALLED ON: 17-MAY-2021	LAST ACTUALS:	
	0 ENG. HRS 0 A/C HRS	444.8 ENG. HRS	as of 31-AUG-2023
	0 ENC	369 ENC	as of 31-AUG-2023



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 00 - INFORMATION</b>									
PPPP1	PAINT AIRCRAFT							Service	ATA:00
	MOS/MSC	17-May-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC NO REF									
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
05-50-00-870-803-01	NO. 1 ENGINE - POLISH FAN ROTOR							Service	ATA:05
	MOS/MSC	17-May-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-50-00-803A-913A-A									
05-50-00-870-803-01	NO. 2 ENGINE - POLISH FAN ROTOR							Service	ATA:05
	MOS/MSC	17-May-21	A/R						
	HRS	0							
	ENC	0							
PROC. REF: LMM 05-50-00-803A-913A-A									
052001	NO. 1 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)	Adj -15.9	(600) 600	630	155.2 (+30)		
	ENC	272							
PROC. REF: LMM 05-20-00-808A-300A-A									
PKG:1									
052001	NO. 2 ENGINE - FJ44 CHECK 1							Package	ATA:05
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)	Adj -15.9	(600) 600	630	155.2 (+30)		
	ENC	272							
PROC. REF: LMM 05-20-00-808A-300A-A									
PKG:1									
052002	NO. 1 ENGINE - FJ44 CHECK 2							Package	ATA:05
	MOS	17-May-21							
	HRS	0	600 (+30)		(600) 600	630	155.2 (+30)		
	ENC	0							
PROC. REF: LMM 05-20-00-808A-300A-A									
PKG:2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
052002	NO. 2 ENGINE - FJ44 CHECK 2							Package ATA:05	
	MOS	17-May-21							
	HRS	0	600 (+30)		(600) 600	630	155.2 (+30)		
	ENC	0							
			PROC. REF: LMM 05-20-00-808A-300A-A						PKG:2
052003	NO. 1 ENGINE - FJ44 CHECK 3							Package ATA:05	
	MOS	17-May-21							
	HRS	0	T:1750 (+50)		(1750) 1750	1800	1305.2 (+50)		
	ENC	0							
			PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A						PKG:3
052003	NO. 2 ENGINE - FJ44 CHECK 3							Package ATA:05	
	MOS	17-May-21							
	HRS	0	T:1750 (+50)		(1750) 1750	1800	1305.2 (+50)		
	ENC	0							
			PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A						PKG:3
052004	NO. 1 ENGINE - FJ44 CHECK 4							Package ATA:05	
	MOS	17-May-21							
	HRS	0	T:3500 (+50)		(3500) 3500	3550	3055.2 (+50)		
	ENC	0							
			PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A						PKG:4
052004	NO. 2 ENGINE - FJ44 CHECK 4							Package ATA:05	
	MOS	17-May-21							
	HRS	0	T:3500 (+50)		(3500) 3500	3550	3055.2 (+50)		
	ENC	0							
			PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A						PKG:4

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
052005	NO. 1 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:5250 (+50)		(5250) 5250	5300	4805.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:5
052005	NO. 2 ENGINE - FJ44 CHECK 5							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:5250 (+50)		(5250) 5250	5300	4805.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:5
052006	NO. 1 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:7000 (+50)		(7000) 7000	7050	6555.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:6
052006	NO. 2 ENGINE - FJ44 CHECK 6							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:7000 (+50)		(7000) 7000	7050	6555.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:6
052007	NO. 1 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:8750 (+50)		(8750) 8750	8800	8305.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:7

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
052007	NO. 2 ENGINE - FJ44 CHECK 7							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:8750 (+50)		(8750) 8750	8800	8305.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:7
052008	NO. 1 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:10500 (+50)		(10500) 10500	10550	10055.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:8
052008	NO. 2 ENGINE - FJ44 CHECK 8							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:10500 (+50)		(10500) 10500	10550	10055.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:8
052009	NO. 1 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:12250 (+50)		(12250) 12250	12300	11805.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:9
052009	NO. 2 ENGINE - FJ44 CHECK 9							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:12250 (+50)		(12250) 12250	12300	11805.2 (+50)	
	ENC	0						
					PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A			PKG:9

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>								
052010	NO. 1 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:14000 (+50)		(14000) 14000	14050	13555.2 (+50)	
	ENC	0						
				PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A				PKG:10
052010	NO. 2 ENGINE - FJ44 CHECK 10							Package ATA:05
	MOS	17-May-21						
	HRS	0	T:14000 (+50)		(14000) 14000	14050	13555.2 (+50)	
	ENC	0						
				PROC. REF: LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A, LMM 05-20-00-808A-300A-A				PKG:10
5-12-01	INSPECTION DOCUMENT 01							Package ATA:05
	MOS	21-Oct-22						
	HRS	315.9	300 (+30)		615.9	645.9	171.1 (+30)	
	AFL	272						
				PROC. REF: TLMC 5-12-01				PKG:1
5-12-02	INSPECTION DOCUMENT 02							Package ATA:05
	MOS	12-May-23	12 (+2m)		31-May-24	31-Jul-24	271 d (+61)	
	HRS	392.5						
	AFL	325						
				PROC. REF: TLMC 5-12-02				PKG:2
5-12-03 <sup>S</sup>	INSPECTION DOCUMENT 03							Package ATA:05
	MOS	17-May-21	24 (+2m)					
	HRS	0						
	AFL	0						
				PROC. REF: TLMC 5-12-03				PKG:3
5-12-04 <sup>S</sup>	INSPECTION DOCUMENT 04 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package ATA:05
	MOS	17-May-21	36					
	HRS	0						
	AFL	0						
				PROC. REF: TLMC 5-12-04				PKG:4

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
5-12-05 <sup>S</sup>	INSPECTION DOCUMENT 05 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	17-May-21	60						
	HRS	0							
	AFL	0							
	PROC. REF: TLMC 5-12-05							PKG:5	
5-12-06 <sup>S</sup>	INSPECTION DOCUMENT 06 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	17-May-21	72 (+2m)						
	HRS	0							
	AFL	0							
	PROC. REF: TLMC 5-12-06							PKG:6	
5-12-07 <sup>S</sup>	INSPECTION DOCUMENT 07 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	17-May-21	144						
	HRS	0							
	AFL	0							
	PROC. REF: TLMC 5-12-07							PKG:7	
5-12-08	INSPECTION DOCUMENT 08							Package	ATA:05
	MOS	21-Oct-22	24 (+2m)		31-Oct-24	31-Dec-24	424 d (+61)		
	HRS	315.9	300 (+30)		615.9	645.9	171.1 (+30)		
	AFL	272							
	PROC. REF: TLMC 5-12-08							PKG:8	
5-12-09 <sup>S</sup>	INSPECTION DOCUMENT 09 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	17-May-21	T:12 (+2m)						
	HRS	0	T:600 (+30)						
	AFL	0							
	PROC. REF: TLMC 5-12-09							PKG:9	
5-12-10	INSPECTION DOCUMENT 10							Package	ATA:05
	MOS	17-May-21	36 (+2m)		31-May-24	31-Jul-24	271 d (+61)		
	HRS	0	1200 (+30)		1200	1230	755.2 (+30)		
	AFL	0							
	PROC. REF: TLMC 5-12-10							PKG:10	
5-12-11	INSPECTION DOCUMENT 11							Package	ATA:05
	MOS	17-May-21	T:72 (+2m)		31-May-27	31-Jul-27	1366 d (+61)		
	HRS	0	T:2400 (+30)		2400	2430	1955.2 (+30)		
	AFL	0							
	PROC. REF: TLMC 5-12-11							PKG:11	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-12-12	INSPECTION DOCUMENT 12 (14 CFR 91.207)							Package	ATA:05
	MOS	12-May-23	12		31-May-24		271 d		
	HRS	392.5							
	AFL	325							
	PROC. REF: TLMC 5-12-12							PKG:12	
5-12-13 <sup>S</sup>	INSPECTION DOCUMENT 13 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	12-May-23	24						
	HRS	392.5							
	AFL	325							
	PROC. REF: TLMC 5-12-13							PKG:13	
5-12-14 <sup>S</sup>	INSPECTION DOCUMENT 14 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS/MSC	17-May-21	T/C						
	HRS	0							
	AFL	0							
	PROC. REF: TLMC 5-12-14							PKG:14	
5-12-17 <sup>S</sup>	INSPECTION DOCUMENT 17 (PLEASE REFER TO INDIVIDUAL SUBTASKS FOR DUE TIMES)							Package	ATA:05
	MOS	12-May-23	12 (+2m)						
	HRS	392.5	200 (+30)						
	AFL	325							
	PROC. REF: TLMC 5-12-17							PKG:17	
5-12-21	INSPECTION DOCUMENT 21							Package	ATA:05
	MOS	12-May-23	24 (+2m)		31-May-25	31-Jul-25	636 d (+61)		
	HRS	392.5	600 (+30)		992.5	1022.5	547.7 (+30)		
	AFL	325							
	PROC. REF: TLMC 5-12-21							PKG:21	
5-12-29	INSPECTION DOCUMENT 29							Package	ATA:05
	MOS	17-May-21							
	HRS	0	T:7200 (+30)		7200	7230	6755.2 (+30)		
	AFL	0							
	PROC. REF: TLMC 5-12-29							PKG:29	
5-12-33	INSPECTION DOCUMENT 33							Package	ATA:05
	MOS	12-May-23	12 (+2m)		31-May-24	31-Jul-24	271 d (+61)		
	HRS	392.5	300 (+30)		692.5	722.5	247.7 (+30)		
	AFL	325							
	PROC. REF: TLMC 5-12-33							PKG:33	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
5-12-36	INSPECTION DOCUMENT 36							Package	ATA:05
	MOS	12-May-23	6 (+2m)		30-Nov-23	31-Jan-24	88 d (+62)		
	HRS	392.5							
	AFL	325							
				PROC. REF: TLMC 5-12-36				PKG:36	
5-12-37	INSPECTION DOCUMENT 37							Package	ATA:05
	MOS	17-May-21							
	HRS	0							
	AFL	0							
	ACH	0	500		500		205.6		
				PROC. REF: TLMC 5-12-37				PKG:37	
5-12-MA	INSPECTION DOCUMENT MA							Package	ATA:05
	MOS	21-Oct-22						AIRWORTHINESS	
	HRS	315.9	300		615.9		171.1		
	AFL	272							
				PROC. REF: TLMC 5-12-MA				PKG:38	
5-12-MD	INSPECTION DOCUMENT MD							Package	ATA:05
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0							
	AFL	0	T:5000		5000		4631		
				PROC. REF: TLMC 5-12-MD				PKG:39	
5-12-MF	INSPECTION DOCUMENT MF							Package	ATA:05
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	6000		6000		5555.2		
	AFL	0							
				PROC. REF: TLMC 5-12-MF				PKG:40	
5-12-MG	INSPECTION DOCUMENT MG							Package	ATA:05
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:6000		6000		5555.2		
	AFL	0							
				PROC. REF: TLMC 5-12-MG				PKG:41	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
5-12-MH	INSPECTION DOCUMENT MH							Package ATA:05 AIRWORTHINESS
	MOS	17-May-21						
	HRS	0	T:6000		6000		5555.2	
	AFL	0						
				PROC. REF: TLMC 5-12-MH				PKG:42
5-12-MI	INSPECTION DOCUMENT MI							Package ATA:05 AIRWORTHINESS
	MOS	17-May-21						
	HRS	0	T:7200		7200		6755.2	
	AFL	0						
				PROC. REF: TLMC 5-12-MI				PKG:43
5-12-MJ	INSPECTION DOCUMENT MJ							Package ATA:05 AIRWORTHINESS
	MOS	17-May-21						
	HRS	0	T:7200		7200		6755.2	
	AFL	0						
				PROC. REF: TLMC 5-12-MJ				PKG:44
5-12-MK	INSPECTION DOCUMENT MK							Package ATA:05 AIRWORTHINESS
	MOS	17-May-21						
	HRS	0	T:7900		7900		7455.2	
	AFL	0						
				PROC. REF: TLMC 5-12-MK				PKG:45
5-12-MM	INSPECTION DOCUMENT MM							Package ATA:05 AIRWORTHINESS
	MOS	17-May-21						
	HRS	0	T:12000		12000		11555.2	
	AFL	0						
				PROC. REF: TLMC 5-12-MM				PKG:47
5-12-MN	INSPECTION DOCUMENT MN							Package ATA:05 AIRWORTHINESS
	MOS	17-May-21						
	HRS	0	T:12000		12000		11555.2	
	AFL	0						
				PROC. REF: TLMC 5-12-MN				PKG:48
5-12-MO	INSPECTION DOCUMENT MO							Package ATA:05 AIRWORTHINESS
	MOS	17-May-21						
	HRS	0	T:15200		15200		14755.2	
	AFL	0						
				PROC. REF: TLMC 5-12-MO				PKG:49

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 05 - TIME LIMITS/MAINTENANCE CHECKS</b>									
5-12-MP	INSPECTION DOCUMENT MP							Package	ATA:05
	MOS	12-May-23	12		31-May-24		271 d	AIRWORTHINESS	
	HRS	392.5	250		642.5		197.7		
	AFL	325							
PROC. REF: TLMC 5-12-MP								PKG:50	
5-12-MQ	INSPECTION DOCUMENT MQ							Package	ATA:05
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:14000		14000		13555.2		
	AFL	0							
PROC. REF: TLMC 5-12-MQ								PKG:51	
<b>ATA 12 - SERVICING</b>									
12-28-05-600	15 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 1 WASH							Service	ATA:12
	DAYS/MSC	17-May-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-28-05									
12-28-05-601	45 DAY MEDIUM EXPOSURE AREAS - AIRPLANE ZONE 2 WASH							Service	ATA:12
	DAYS/MSC	17-May-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-28-05									
12-28-05-602	90 DAY HIGH EXPOSURE AREAS - AIRPLANE ZONE 3 WASH							Service	ATA:12
	DAYS/MSC	17-May-21	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 12-28-05									
C122201 <sup>S</sup>	LUBRICATE TRIM TAB ACTUATOR: INSPECTION DOCUMENT 08							Service	ATA:12
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 27.040	AFL	272							
PROC. REF: AMM 12-22-05								PKG:8	
<b>ATA 21 - AIR CONDITIONING</b>									
211003	HEAT PRESSURE EXCHANGER							Component	ATA:21
PN:10840A	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1535	HRS	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
WC#: 21.010	AFL	0			TSN 0				
PROC. REF: AMM 21-40-00									
<b>211004</b>	<b>HEAT EXCHANGER SHUTOFF VALVE</b>							<b>Component</b>	<b>ATA:21</b>
PN:27241287-24	MOS/MSC	17-May-21	O/C		TSN 0				
SN:12BU44	HRS	0			TSN 0				
WC#: 21.020	AFL	0			TSN 0				
PROC. REF: AMM 21-40-00									
<b>211005</b>	<b>EMERGENCY PRESS SHUTOFF VALVE</b>							<b>Component</b>	<b>ATA:21</b>
PN:2601-23	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1801	HRS	0			TSN 0				
WC#: 21.020	AFL	0			TSN 0				
PROC. REF: AMM 21-10-00									
<b>211006</b>	<b>LEFT PRESSURE SHUTOFF VALVE</b>							<b>Component</b>	<b>ATA:21</b>
PN:5253-00-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:5516	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-10-00									
<b>211006</b>	<b>RIGHT PRESSURE SHUTOFF VALVE</b>							<b>Component</b>	<b>ATA:21</b>
PN:5253-00-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:5518	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 21-10-00									
<b>212001</b>	<b>UNDERFLOOR INLET AIR BLOWER</b>							<b>Component</b>	<b>ATA:21</b>
PN:0113-12	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2912	HRS	0			TSN 0				
WC#: 21.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>212003</b>	<b>TEMP PRESS COMPRESSION SWITCH</b>							<b>Component</b>	<b>ATA:21</b>
PN:1173T42-3	MOS/MSC	17-May-21	O/C		TSN 0				
SN:4592	HRS	0			TSN 0				
WC#: 21.040	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
212011		AFT TEMP UNDERFLOOR SENSOR					Component	ATA:21	
PN:27221274	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1BV1	HRS	0		TSN 0					
WC#: 21.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
212302		BLOWER - WINDSHIELD AIR MOTOR					Component	ATA:21	
PN:7003-300	MOS/MSC	17-May-21	O/C	TSN 0					
SN:481	HRS	0		TSN 0					
WC#: 21.060	AFL	0		TSN 0					
PROC. REF: AMM 21-40-00									
213003		PRESSURIZATION CONTROLLER					Component	ATA:21	
PN:52811-1103	MOS/MSC	17-May-21	O/C	TSN 0					
SN:07355A	HRS	0		TSN 0					
WC#: 21.100	AFL	0		TSN 0					
PROC. REF: AMM 21-30-00									
213004		LEFT KAPS II OUTFLOW VALVE					Component	ATA:21	
PN:52812-102	MOS/MSC	17-May-21	O/C	TSN 0					
SN:5597	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-30-00									
213004		RIGHT KAPS II OUTFLOW VALVE					Component	ATA:21	
PN:52812-102	MOS/MSC	17-May-21	O/C	TSN 0					
SN:5600	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-30-00									
215001		FORWARD EVAPORATOR					Component	ATA:21	
PN:1134820-13	MOS/MSC	17-May-21	O/C	TSN 0					
SN:571	HRS	0		TSN 0					
WC#: 21.120	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00									
215002		AFT EVAPORATOR					Component	ATA:21	
PN:1134820-14	MOS/MSC	17-May-21	O/C	TSN 0					
SN:684	HRS	0		TSN 0					
WC#: 21.120	AFL	0		TSN 0					
PROC. REF: AMM 21-50-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
215004	COMPRESSOR CONDENSOR MODULE ASSEMBLY							Component	ATA:21
PN:1134400-31	MOS/MSC	17-May-21	O/C		TSN 0				
SN:682A	HRS	0			TSN 0				
WC#: 21.140	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
215006	DRIVE MOTOR ASSEMBLY							Component	ATA:21
PN:1134104-5	MOS/MSC	17-May-21	O/C		TSN 0				
SN:6641	HRS	0			TSN 0				
WC#: 21.150	AFL	0			TSN 0				
	ACH	0							
PROC. REF: GENERIC NO REF									
215010	FREON A/C-BAROMETRIC SWITCH							Component	ATA:21
PN:GBC300-82	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2046180	HRS	0			TSN 0				
WC#: 21.210	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
215014	COMPRESSOR ASSEMBLY							Component	ATA:21
PN:1134160	MOS/MSC	17-May-21	O/C		TSN 0				
SN:10952	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
216002	TEMPERATURE CONTROLLER							Component	ATA:21
PN:1E86-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:10BU500	HRS	0			TSN 0				
WC#: 21.200	AFL	0			TSN 0				
PROC. REF: AMM 21-60-00									
216003	TEMP CNTL SYS SENSOR							Component	ATA:21
PN:27221274	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1BV10	HRS	0			TSN 0				
WC#: 21.200	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
A211001 <sup>S</sup>	INSPECT FLOW CONTROL VALVE DETAILED: INSPECTION DOCUMENT 10							Service	ATA:21
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 21.240	AFL	0							
PROC. REF: AMM 21-10-00								PKG:10	
A215001 <sup>S</sup>	CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER INSPECTION (COMPRESSOR MOTORS 1134104-1, -5): INSPECTION DOCUMENT MA							Service	ATA:21
	MOS	21-Oct-22						AIRWORTHINESS	
	HRS	315.9	300						
	AFL	272							
PROC. REF: AMM 21-50-00								PKG:38	
A215003 <sup>S</sup>	CHECK VAPOR CYCLE COOLING SYSTEM HOUR METER INSPECTION(EXCEPT COMPRESSOR MOTORS 1134104-1, -5): INSPECTION DOCUMENT 01							Service	ATA:21
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	AFL	272							
PROC. REF: AMM 21-50-00								PKG:1	
A215004	COMPRESSOR DRIVE MOTOR BRUSHES							Component	ATA:21
PN:PN	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	0		TSN 0					
WC#: 21.150	AFL	0		TSN 0					
	ACH	0	500	TSN 0	500		205.6		
PROC. REF: GENERIC NO REF									
A215005 <sup>S</sup>	CHECK VAPOR CYCLE 500 COMPRESSOR HOUR MAINTENANCE : INSPECTION DOCUMENT 37							Service	ATA:21
	MOS	17-May-21							
	HRS	0							
	AFL	0							
	ACH	0	500						
PROC. REF: AMM 21-50-00								PKG:37	
A215007 <sup>S</sup>	CHECK VAPOR CYCLE COOLING SYSTEM 12 MONTH MAINTENANCE: INSPECTION DOCUMENT 02							Service	ATA:21
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
	AFL	325							
PROC. REF: AMM 21-50-00								PKG:2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 21 - AIR CONDITIONING</b>									
<b>B211001<sup>S</sup></b>		<b>OPERATIONAL CHECK EMERGENCY PRESSURIZATION VALVE: INSPECTION DOCUMENT 10</b>							Service ATA:21
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 21.020	AFL	0							
					PROC. REF: AMM 21-10-00			PKG:10	
<b>B213001<sup>S</sup></b>		<b>FUNCTION TEST OUTFLOW VALVE CABIN MAXIMUM ALTITUDE LIMITER: INSPECTION DOCUMENT 10</b>							Service ATA:21
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 21.330	AFL	0							
					PROC. REF: AMM 21-30-00			PKG:10	
<b>ATA 22 - AUTO FLIGHT</b>									
<b>221003</b>		<b>AILERON SERVO</b>							Component ATA:22
PN:011-00877-20	MOS/MSC	17-May-21	O/C		TSN 0				
SN:19Z014390	HRS	0			TSN 0				
WC#: 22.010	AFL	0			TSN 0				
					PROC. REF: AMM 22-10-15				
<b>221004</b>		<b>RUDDER SERVO</b>							Component ATA:22
PN:011-00877-20	MOS/MSC	17-May-21	O/C		TSN 0				
SN:19Z014385	HRS	0			TSN 0				
WC#: 22.030	AFL	0			TSN 0				
					PROC. REF: AMM 22-10-25				
<b>221005</b>		<b>ELEVATOR TRIM GSA 81 SERVO</b>							Component ATA:22
PN:011-00878-20	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1A1029565	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: GENERIC NO REF				
<b>221009</b>		<b>GMC 710 AFCS MODE CONTROLLER</b>							Component ATA:22
PN:011-01020-10	MOS/MSC	17-May-21	O/C		TSN 0				
SN:22009489	HRS	0			TSN 0				
	AFL	0			TSN 0				
					PROC. REF: AMM 22-10-05				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 22 - AUTO FLIGHT</b>									
<b>221010</b>		<b>ELEVATOR GSA 81 SERVO</b>					<b>Component</b>		<b>ATA:22</b>
PN:011-00878-20	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1A1029517	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-10-35									
<b>221011</b>		<b>AILERON GSM 86 SERVO MOUNT</b>					<b>Component</b>		<b>ATA:22</b>
PN:011-02490-14	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1GK030998	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-10-15									
<b>221012</b>		<b>RUDDER GSM 86 SERVO MOUNT</b>					<b>Component</b>		<b>ATA:22</b>
PN:011-02490-15	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1GK030681	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-10-25									
<b>221013</b>		<b>ELEVATOR GSM 86 SERVO MOUNT</b>					<b>Component</b>		<b>ATA:22</b>
PN:011-02490-16	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1GK030096	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 22-10-35									
<b>221014</b>		<b>GSM 86 SERVO (ELEVATOR TRIM) MOUNT</b>					<b>Component</b>		<b>ATA:22</b>
PN:011-02490-22	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1GK029748	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>B221001<sup>S</sup></b>		<b>OPERATIONAL CHECK GARMIN AUTOPILOT-SERVO SLIP-CLUTCH OVERRIDE: INSPECTION DOCUMENT 21</b>					<b>Service</b>		<b>ATA:22</b>
	MOS	12-May-23	24 (+2m)						
	HRS	392.5	600 (+30)						
WC#: 21.340	AFL	325							
PROC. REF: AMM 22-10-00									
<b>B221003<sup>S</sup></b>		<b>FUNCTIONAL CHECK GARMIN AUTOPILOT (GFC 700): INSPECTION DOCUMENT 21</b>					<b>Service</b>		<b>ATA:22</b>
	MOS	12-May-23	24 (+2m)						
	HRS	392.5	600 (+30)						
WC#: 25.080	AFL	325							
PROC. REF: AMM 22-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>231008</b>		<b>GDR 66 VHF DATALINK RADIO</b>					<b>Component</b>		<b>ATA:23</b>
PN:011-02303-00	MOS/MSC	17-May-21	O/C	TSN 0					
SN:222006249	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-20-05									
<b>232008</b>		<b>BOTTOM COMM 2 ANTENNA</b>					<b>Component</b>		<b>ATA:23</b>
PN:VHF10-829	MOS/MSC	17-May-21	O/C	TSN 0					
SN:3725	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>232008</b>		<b>LWR TCAS ANTENNA</b>					<b>Component</b>		<b>ATA:23</b>
PN:S72-1735-26	MOS/MSC	17-May-21	O/C	TSN 0					
SN:874-2138	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>232008</b>		<b>NO. 3 VHF-COM ANTENNA</b>					<b>Component</b>		<b>ATA:23</b>
PN:VHF10-829	MOS/MSC	17-May-21	O/C	TSN 0					
SN:3759	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>232008</b>		<b>TOP COMM 1 ANTENNA</b>					<b>Component</b>		<b>ATA:23</b>
PN:VHF10-829	MOS/MSC	17-May-21	O/C	TSN 0					
SN:3721	HRS	0		TSN 0					
WC#: 23.030	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>232008</b>		<b>UPPER TCAS ANTENNA</b>					<b>Component</b>		<b>ATA:23</b>
PN:S72-1735-26	MOS/MSC	17-May-21	O/C	TSN 0					
SN:874-2139	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>232010</b>		<b>SATELLITE DATA LINK TRANSCEIVER</b>					<b>Component</b>		<b>ATA:23</b>
PN:011-03177-10	MOS/MSC	17-May-21	O/C	TSN 0					
SN:3NV005787	HRS	0		TSN 0					
WC#: 23.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>232014</b>		<b>LH GSD 41 DATA CONCENTRATOR</b>					<b>Component</b>	<b>ATA:23</b>	
PN:011-01457-01	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2JH007728	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>232014</b>		<b>RH GSD 41 DATA CONCENTRATOR</b>					<b>Component</b>	<b>ATA:23</b>	
PN:011-01457-01	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2JH007736	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>232023</b>		<b>AFT WIFI ANTENNA</b>					<b>Component</b>	<b>ATA:23</b>	
PN:TRAB24/49003P	MOS/MSC	17-May-21	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-25-00									
<b>232033</b>		<b>FWD WIFI ANTENNA</b>					<b>Component</b>	<b>ATA:23</b>	
PN:TRAB24/49003P	MOS/MSC	17-May-21	O/C	TSN 0					
SN:7021810	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>235001</b>		<b>NO. 1 GPS/XM ANTENNA</b>					<b>Component</b>	<b>ATA:23</b>	
PN:C1428-410	MOS/MSC	17-May-21	O/C	TSN 0					
SN:645001	HRS	0		TSN 0					
WC#: 23.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>235001</b>		<b>NO. 2 GPS/XM ANTENNA</b>					<b>Component</b>	<b>ATA:23</b>	
PN:C1428-410	MOS/MSC	17-May-21	O/C	TSN 0					
SN:648618	HRS	0		TSN 0					
WC#: 23.170	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>235006</b>		<b>LEFT GMA 36 REMOTE AUDIO PROCESSOR</b>					<b>Component</b>	<b>ATA:23</b>	
PN:011-04093-00	MOS/MSC	17-May-21	O/C	TSN 0					
SN:4RK112064	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 23 - COMMUNICATIONS</b>									
<b>235006</b>		<b>RIGHT GMA 36 REMOTE AUDIO PROCESSOR</b>					<b>Component</b>	<b>ATA:23</b>	
PN:011-04093-00	MOS/MSC	17-May-21	O/C	TSN 0					
SN:4RK112073	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>235009</b>		<b>PA AMPLIFIER</b>					<b>Component</b>	<b>ATA:23</b>	
PN:102025-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:8401220	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-30-15									
<b>B236001<sup>S</sup></b>		<b>FUNCTIONAL CHECK STATIC DISCHARGE SYSTEM: INSPECTION DOCUMENT 10</b>					<b>Service</b>	<b>ATA:23</b>	
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 23.050	AFL	0							
PROC. REF: AMM 23-60-05									
<b>B237203<sup>S</sup></b>		<b>FUNCTIONAL CHECK COCKPIT VOICE RECORDER UNDERWATER LOCATOR BEACON: INSPECTION DOCUMENT 10</b>					<b>Service</b>	<b>ATA:23</b>	
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 23.070	AFL	0							
PROC. REF: AMM 23-72-00									
<b>ATA 24 - ELECTRICAL POWER</b>									
<b>242001</b>		<b>AUX AC CONVERTER</b>					<b>Component</b>	<b>ATA:24</b>	
PN:SS50	MOS/MSC	17-May-21	O/C	TSN 0					
SN:9035	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-22-05									
<b>243002</b>		<b>LEFT GENERATOR CONTROL UNIT</b>					<b>Component</b>	<b>ATA:24</b>	
PN:51525-001F	MOS/MSC	17-May-21	O/C	TSN 0					
SN:P9305	HRS	0		TSN 0					
WC#: 24.040	AFL	0		TSN 0					
PROC. REF: AMM 24-34-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
<b>243002</b>		<b>RIGHT GENERATOR CONTROL UNIT</b>						<b>Component</b>	<b>ATA:24</b>
PN:51525-001F	MOS/MSC	17-May-21	O/C		TSN 0				
SN:P9303	HRS	0			TSN 0				
WC#: 24.040	AFL	0			TSN 0				
PROC. REF: AMM 24-34-00									
<b>243003</b>		<b>MAIN BATTERY</b>						<b>Component</b>	<b>ATA:24</b>
PN:30978-002	MOS/MSC	17-May-21	O/C		TSN 0				
SN:12100303	HRS	0			TSN 0				
WC#: 24.260	AFL	0			TSN 0				
PROC. REF: AMM 24-36-05									
<b>243007</b>		<b>14 AHR BATTERY ASSEMBLY</b>						<b>Component</b>	<b>ATA:24</b>
PN:7243-16T	MOS/MSC	13-May-22	O/C		TSN 0				
SN:G03142697	HRS	242.5			TSN 0				
	AFL	213			TSN 0				
PROC. REF: GENERIC NO REF									
<b>243012</b>		<b>STANDBY BATTERY</b>						<b>Component</b>	<b>ATA:24</b>
PN:501-1712-01	MOS/MSC	17-May-21	O/C		TSN 0				
SN:82374	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 24-36-35									
<b>245001</b>		<b>PRESSURIZATION PCB ASSY</b>						<b>Component</b>	<b>ATA:24</b>
PN:6318349-26	MOS/MSC	17-May-21	O/C		TSN 0				
SN:866	HRS	0			TSN 0				
WC#: 24.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>245002</b>		<b>LEFT ASSEMBLY-FUEL CONTROL PCB</b>						<b>Component</b>	<b>ATA:24</b>
PN:6318037-6	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2050	HRS	0			TSN 0				
WC#: 24.100	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>245002</b>		<b>RIGHT ASSEMBLY-FUEL CONTROL PCB</b>						<b>Component</b>	<b>ATA:24</b>
PN:6318037-6	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2051	HRS	0			TSN 0				
WC#: 24.100	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
245003	LEFT ASSEMBLY-IGNITOR PCB							Component	ATA:24
PN:6318388-7	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1524	HRS	0			TSN 0				
WC#: 24.110	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245003	RIGHT ASSEMBLY-IGNITOR PCB							Component	ATA:24
PN:6318388-7	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1525	HRS	0			TSN 0				
WC#: 24.110	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245004	LEFT ANTI ICE PCB ASSY							Component	ATA:24
PN:6318390-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:890	HRS	0			TSN 0				
WC#: 24.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245004	RIGHT ANTI ICE PCB ASSY							Component	ATA:24
PN:6318390-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:893	HRS	0			TSN 0				
WC#: 24.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245005	DIAGNOSTICS PCB ASSY							Component	ATA:24
PN:6318046-9	MOS/MSC	17-May-21	O/C		TSN 0				
SN:822	HRS	0			TSN 0				
WC#: 24.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245006	ENVIRONMENTAL PCB ASSY							Component	ATA:24
PN:6318358-20	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1017	HRS	0			TSN 0				
WC#: 24.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
245007	LEFT PCB-START LOGIC ASSY							Component	ATA:24
PN:6318038-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2242	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
245007		RIGHT PCB-START LOGIC ASSY					Component	ATA:24	
PN:6318038-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2243	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245011		FUEL FLOW XMITTER PCB ASSY					Component	ATA:24	
PN:85-230-2	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2007087	HRS	0		TSN 0					
WC#: 24.160	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245012		SPEEDBRAKE CONTROL PCB ASSY					Component	ATA:24	
PN:6318034-6	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1126	HRS	0		TSN 0					
WC#: 24.270	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245013		TAIL DEICE MONITOR PCB ASSY					Component	ATA:24	
PN:6318043-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1158	HRS	0		TSN 0					
WC#: 24.208	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245014		TAIL DEICE CONTROL PCB ASSY					Component	ATA:24	
PN:6318044-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1117	HRS	0		TSN 0					
WC#: 24.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245015		HYDRAULIC PCB ASSY					Component	ATA:24	
PN:6318035-7	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1079	HRS	0		TSN 0					
WC#: 24.300	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245020		FADEC INTERFACE NZ116 ASSY					Component	ATA:24	
PN:6318387-11	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1043	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 24 - ELECTRICAL POWER</b>									
245022	FADEC INTERFACE NZ117 ASSY							Component	ATA:24
PN:6318387-11	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1046	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245026	NO. 1 LANDING GEAR PCB							Component	ATA:24
PN:6318398-6	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1109	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245027	NO. 2 LANDING GEAR PCB							Component	ATA:24
PN:6318399-11	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1072	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
245200	CABIN ALT MODULE ASSY							Component	ATA:24
PN:7018119-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2259	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-62-05									
B243601	FUNCTIONAL CHECK MAIN BATTERY NICKEL-CADMIUM BATTERY (CAPACITY CHECK): INSPECTION DOCUMENT 17							Service	ATA:24
PN:30978-002	MOS	12-May-23	12 (+2m)		31-May-24	31-Jul-24	271 d (+61)		
SN:12100303	HRS	392.5	200 (+30)		592.5	622.5	147.7 (+30)		
WC#: 24.170	AFL	325							
PROC. REF: AMM 24-36-05									
B243801 <sup>S</sup>	CHECK AUXILIARY POWER SEALED LEAD ACID BATTERY FUNCTIONAL CHECK (CAPACITY CHECK)							Service	ATA:24
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
	AFL	325							
PROC. REF: AMM 24-38-00									
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>									
245023	LANDING GEAR MONITOR PCB ASSY							Component	ATA:25
PN:6318397-21	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1186	HRS	0		TSN 0					
WC#: 24.320	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
PROC. REF: GENERIC NO REF									
251001	LEFT HAND CREW SEAT WITH CUTOUT							Component	ATA:25
PN:2049-2510000-001	MOS/MSC	17-May-21	O/C	TSN 0					
SN:C000695	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
251001	RIGHT HAND CREW SEAT WITH CUTOUT							Component	ATA:25
PN:2049-2510000-002	MOS/MSC	17-May-21	O/C	TSN 0					
SN:C000712	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
256001	EMERGENCY LOCATOR TRANSMITTER							Component	ATA:25
PN:453-5060	MOS/MSC	17-May-21	O/C	TSN 0					
SN:252-04380	HRS	0		TSN 0					
WC#: 25.030	AFL	0		TSN 0					
PROC. REF: AMM 25-62-00									
256004	ELT ANTENNA							Component	ATA:25
PN:110-340	MOS/MSC	17-May-21	O/C	TSN 0					
SN:635010	HRS	0		TSN 0					
WC#: 25.040	AFL	0		TSN 0					
PROC. REF: AMM 25-62-00									
256005	ELT BEACON BATTERY PACK							Component	ATA:25
PN:452-0133	MOS/MSC		DUE	TSN 0	01-Oct-24 (M)		394 d		
SN:382756-006	HRS			TSN 0					
WC#: 25.040	AFL			TSN 0					
PROC. REF: GENERIC NO REF									
A252001 <sup>S</sup>	DETAILED INSPECTION PASSENGER SEAT AND RESTRAINT SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:25
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 25.080	AFL	0							
PROC. REF: AMM 25-20-05									
PKG:10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 25 - EQUIPMENT/FURNISHINGS</b>								
<b>A256001<sup>S</sup> DETAILED INSPECTION LIFE VEST: INSPECTION DOCUMENT 02 Service ATA:25</b>								
	MOS	12-May-23	12 (+2m)					
	HRS	392.5						
WC#: 25.090	AFL	325						
PROC. REF: AMM 25-60-00								PKG:2
<b>A256201 DETAILED INSPECTION EMERGENCY LOCATOR TRANSMITTER ARTEX (ELT): INSPECTION DOCUMENT 12 Service ATA:25</b>								
PN:453-5060	MOS	12-May-23	12		31-May-24		271 d	
SN:252-04380	HRS	392.5						
WC#: 25.140	AFL	325						
PROC. REF: AMM 25-62-00								PKG:12
<b>B251001<sup>S</sup> FUNCTIONAL CHECK CREW SEAT ASSEMBLY: INSPECTION DOCUMENT 10 Service ATA:25</b>								
	MOS	17-May-21	36 (+2m)					
	HRS	0	1200 (+30)					
WC#: 25.080	AFL	0						
PROC. REF: AMM 25-10-05								PKG:10
<b>B256203 OPERATIONAL CHECK ARTEX C406-N EMERGENCY LOCATOR TRANSMITTER: INSPECTION DOCUMENT 12 Service ATA:25</b>								
	MOS	12-May-23	12		31-May-24		271 d	
	HRS	392.5						
WC#: 25.140	AFL	325						
PROC. REF: AMM 25-62-00								PKG:12
<b>ATA 26 - FIRE PROTECTION</b>								
<b>261002 LEFT FIRE DETECT SENSOR Component ATA:26</b>								
PN:3001-212-1004/455-9	MOS/MSC	17-May-21	O/C	TSN 0				
SN:217423	HRS	0		TSN 0				
WC#: 26.010	AFL	0		TSN 0				
PROC. REF: AMM 26-10-00								
<b>261002 RIGHT FIRE DETECT SENSOR Component ATA:26</b>								
PN:3001-212-1004/455-9	MOS/MSC	17-May-21	O/C	TSN 0				
SN:217427	HRS	0		TSN 0				
WC#: 26.010	AFL	0		TSN 0				
PROC. REF: AMM 26-10-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 26 - FIRE PROTECTION</b>									
<b>262001</b>		<b>ENGINE FIRE EXTINGUISHER BOTTLE</b>						<b>Component</b>	<b>ATA:26</b>
PN:30400048-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:83437B1	HRS	0		TSN 0					
WC#: 26.020	AFL	0		TSN 0					
PROC. REF: AMM 26-20-00									
<b>262002</b>		<b>NO. 1 FIRE EXTINGUISHER CARTRIDGE</b>						<b>Component</b>	<b>ATA:26</b>
PN:30903824	MOS	01-Feb-21	72	TSN 0	28-Feb-27		1274 d	LIFE LIMIT	
SN:NSN	HRS			TSN 0					
WC#: 26.020	AFL			TSN 0					
		Manufacture Date:: 01-Feb-21		PROC. REF: AMM 26-20-00					
<b>262002</b>		<b>NO. 2 FIRE EXTINGUISHER CARTRIDGE</b>						<b>Component</b>	<b>ATA:26</b>
PN:13083-5	MOS	01-Feb-21	72	TSN 0	28-Feb-27		1274 d	LIFE LIMIT	
SN:NSN	HRS			TSN 0					
	AFL			TSN 0					
		Manufacture Date:: 01-Feb-21		PROC. REF: AMM 26-20-00					
<b>262003</b>		<b>CABIN PORTABLE FIRE EXTINGUISHER</b>						<b>Component</b>	<b>ATA:26</b>
PN:C352TS	MOS/MSC	17-May-21	O/C	TSN 0					
SN:G-18291792	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>A262001<sup>S</sup></b>		<b>GENERAL VISUAL INSPECTION ENGINE FIRE EXTINGUISHING SYSTEM: INSPECTION DOCUMENT 01</b>						<b>Service</b>	<b>ATA:26</b>
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
WC#: 26.050	AFL	272							
PROC. REF: AMM 26-20-00									
PKG:1									
<b>A262201</b>		<b>DETAILED INSPECTION CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 06</b>						<b>Service</b>	<b>ATA:26</b>
PN:C352TS	MOS	01-May-21	72 (+2m)		31-May-27	31-Jul-27	1366 d (+61)		
SN:G-18291792	HRS	0							
WC#: 26.065	AFL	0							
PROC. REF: AMM 26-22-00									
PKG:6									
<b>B262003<sup>S</sup></b>		<b>FUNCTIONAL CHECK ENGINE FIRE EXTINGUISHING SYSTEM: INSPECTION DOCUMENT 10</b>						<b>Service</b>	<b>ATA:26</b>
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 26.050	AFL	0							
PROC. REF: AMM 26-20-00									
PKG:10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 26 - FIRE PROTECTION</b>								
<b>B262005 RESTORATION (HYDROSTATIC TEST) ENGINE FIRE EXTINGUISHER BOTTLE : INSPECTION DOCUMENT 05</b>								
PN:30400048-1	MOS	25-Feb-21	60		28-Feb-26		909 d	Service ATA:26
SN:83437B1	HRS							
WC#: 26.020	AFL							
PROC. REF: AMM 26-20-00								PKG:5
<b>B262201 FUNCTIONAL (WEIGHT) CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 2</b>								
PN:C352TS	MOS	10-May-23	12 (+2m)		31-May-24	31-Jul-24	271 d (+61)	Service ATA:26
SN:G-18291792	HRS							
WC#: 26.065	AFL							
PROC. REF: AMM 26-22-00								PKG:2
<b>B262203 RESTORATION (HYDROSTATIC TEST) CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 07</b>								
PN:C352TS	MOS	01-May-21	144		31-May-33		3558 d	Service ATA:26
SN:G-18291792	HRS							
WC#: 26.065	AFL							
PROC. REF: AMM 26-22-00								PKG:7
<b>ATA 27 - FLIGHT CONTROLS</b>								
<b>271001 LH CONTROL WHEEL ASSY</b>								
PN:6360115-1	MOS/MSC	17-May-21	O/C	TSN 0				Component ATA:27
SN:1797C	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-10								
<b>271001 RH CONTROL WHEEL ASSY</b>								
PN:6360115-2	MOS/MSC	17-May-21	O/C	TSN 0				Component ATA:27
SN:1762C	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 27-10-10								
<b>273001 LEFT SHAKER CONTROL</b>								
PN:201	MOS/MSC	17-May-21	O/C	TSN 0				Component ATA:27
SN:182033A-15	HRS	0		TSN 0				
WC#: 27.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
275001	SHUTOFF VALVE							Component	ATA:27
PN:4083-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1627	HRS	0		TSN 0					
WC#: 27.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
275002	LEFT FLAP HYD ACTUATOR							Component	ATA:27
PN:1542000-9	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2977	HRS	0		TSN 0					
WC#: 27.060	AFL	0		TSN 0					
PROC. REF: AMM 27-50-00									
275002	RIGHT FLAP HYD ACTUATOR							Component	ATA:27
PN:1542000-9	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2976	HRS	0		TSN 0					
WC#: 27.060	AFL	0		TSN 0					
PROC. REF: AMM 27-50-00									
276001	LEFT SPEEDBRAKE ACTUATOR							Component	ATA:27
PN:1542100-5	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2961A	HRS	0		TSN 0					
WC#: 27.070	AFL	0		TSN 0					
PROC. REF: AMM 27-60-00									
276001	RIGHT SPEEDBRAKE ACTUATOR							Component	ATA:27
PN:1542100-5	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2905A	HRS	0		TSN 0					
WC#: 27.070	AFL	0		TSN 0					
PROC. REF: AMM 27-60-00									
A270001 <sup>S</sup>	DETAILED INSPECTION TRIM TAB ACTUATOR: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.100	AFL	0							
PROC. REF: AMM 27-00-01									
B271001 <sup>S</sup>	FUNCTIONAL CHECK AILERON AND AILERON TRIM CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.160	AFL	0							
PROC. REF: AMM 27-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
B271003 <sup>S</sup>	CHECK AILERON TRIM TAB FREE PLAY: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.170	AFL	0							
					PROC. REF: AMM 27-10-00			PKG:10	
B272001 <sup>S</sup>	FUNCTIONAL CHECK RUDDER CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.250	AFL	0							
					PROC. REF: AMM 27-20-00			PKG:10	
B272003 <sup>S</sup>	FUNCTIONAL CHECK RUDDER TRIM CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.240	AFL	0							
					PROC. REF: AMM 27-20-00			PKG:10	
B272005 <sup>S</sup>	CHECK RUDDER TRIM TAB FREE PLAY: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.290	AFL	0							
					PROC. REF: AMM 27-20-00			PKG:10	
B273001 <sup>S</sup>	FUNCTIONAL CHECK ELEVATOR CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.270	AFL	0							
					PROC. REF: AMM 27-30-00			PKG:10	
B273003 <sup>S</sup>	FUNCTIONAL CHECK ELEVATOR TRIM CONTROL SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.260	AFL	0							
					PROC. REF: AMM 27-30-00			PKG:10	
B273005 <sup>S</sup>	CHECK ELEVATOR TRIM TAB FREE PLAY: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.300	AFL	0							
					PROC. REF: AMM 27-30-00			PKG:10	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 27 - FLIGHT CONTROLS</b>									
B275001 <sup>S</sup>	FUNCTIONAL CHECK FLAP SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:27
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 27.280	AFL	0							
PROC. REF: AMM 27-50-00								PKG:10	
<b>ATA 28 - FUEL</b>									
28-00-02-220	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES NOT USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS/MSC	13-May-22	O/C						
	HRS	242.5							
	AFL	213							
PROC. REF: AMM 28-00-02									
28-00-02-221	MICROBIOLOGICAL CONTAMINATION INSPECTION (AIRPLANES USING THE BIOCIDAL PREVENTATIVE TREATMENT)							Service	ATA:28
	MOS	12-May-23	12 (+2m)		31-May-24	31-Jul-24	271 d (+61)	DISCRETIONARY	
	HRS	392.5							
	AFL	325							
PROC. REF: AMM 28-00-02									
281001	LEFT FUEL SURGE VALVE							Component	ATA:28
PN:35C10D	MOS/MSC	17-May-21	O/C	TSN 0					
SN:6988	HRS	0		TSN 0					
WC#: 28.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
281001	RIGHT FUEL SURGE VALVE							Component	ATA:28
PN:35C10D	MOS/MSC	17-May-21	O/C	TSN 0					
SN:7012	HRS	0		TSN 0					
WC#: 28.010	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
282001	LEFT ELECTRIC FUEL PUMP							Component	ATA:28
PN:1C7-13	MOS/MSC	17-May-21	O/C	TSN 0					
SN:11BU35	HRS	0		TSN 0					
WC#: 28.020	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
<b>282001</b>		<b>RIGHT ELECTRIC FUEL PUMP</b>					<b>Component ATA:28</b>		
PN:1C7-13	MOS/MSC	17-May-21	O/C	TSN 0					
SN:11BU36	HRS	0		TSN 0					
WC#: 28.020	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									
<b>282002</b>		<b>LEFT FUEL TRANSFER PUMP</b>					<b>Component ATA:28</b>		
PN:RG45880	MOS/MSC	17-May-21	O/C	TSN 0					
SN:B5845	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									
<b>282002</b>		<b>RIGHT FUEL TRANSFER PUMP</b>					<b>Component ATA:28</b>		
PN:RG45880	MOS/MSC	17-May-21	O/C	TSN 0					
SN:B5842	HRS	0		TSN 0					
WC#: 28.030	AFL	0		TSN 0					
PROC. REF: AMM 28-20-00									
<b>282004</b>		<b>LEFT FUEL MOTOR ACTUATED VALVE</b>					<b>Component ATA:28</b>		
PN:AV24B1507	MOS/MSC	17-May-21	O/C	TSN 0					
SN:AA769273	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>282004</b>		<b>RIGHT FUEL MOTOR ACTUATED VALVE</b>					<b>Component ATA:28</b>		
PN:AV24B1507	MOS/MSC	17-May-21	O/C	TSN 0					
SN:AA771455	HRS	0		TSN 0					
WC#: 28.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>282005</b>		<b>LEFT FUEL TRANSFER EJECTOR</b>					<b>Component ATA:28</b>		
PN:RG45310	MOS/MSC	17-May-21	O/C	TSN 0					
SN:C4930	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>282005</b>		<b>RIGHT FUEL TRANSFER EJECTOR</b>					<b>Component ATA:28</b>		
PN:RG45310	MOS/MSC	17-May-21	O/C	TSN 0					
SN:C4934	HRS	0		TSN 0					
WC#: 28.050	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282006	TRANSFER VALVE							Component	ATA:28
PN:ZSV57	MOS/MSC	17-May-21	O/C		TSN 0				
SN:21-0111137	HRS	0			TSN 0				
WC#: 28.060	AFL	0			TSN 0				
PROC. REF: AMM 28-20-00									
284001	LH NO.5 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10307T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51796	HRS	0			TSN 0				
WC#: 28.070	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284001	RH NO.5 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10307T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51801	HRS	0			TSN 0				
WC#: 28.070	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284003	FUEL QUANTITY SIGNAL CONDITIONER							Component	ATA:28
PN:10310B01Y02	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2012080	HRS	0			TSN 0				
WC#: 28.090	AFL	0			TSN 0				
PROC. REF: AMM 28-40-00									
284004	LH NO.3 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10305T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51809	HRS	0			TSN 0				
WC#: 28.100	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284004	RH NO.3 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10305T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51807	HRS	0			TSN 0				
WC#: 28.100	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284005	LH NO.4 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10306T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51901	HRS	0			TSN 0				
WC#: 28.110	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
284005	RH NO.4 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10306T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51902	HRS	0			TSN 0				
WC#: 28.110	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284006	LH NO.2 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10304T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51919	HRS	0			TSN 0				
WC#: 28.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284006	RH NO.2 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10304T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51915	HRS	0			TSN 0				
WC#: 28.120	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284007	LH NO.1 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10303T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51939	HRS	0			TSN 0				
WC#: 28.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284007	RH NO.1 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10303T01Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51943	HRS	0			TSN 0				
WC#: 28.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284010	LH NO.6 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10309T03Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN50791	HRS	0			TSN 0				
WC#: 28.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
284010	RH NO.6 TRANSMITTER FUEL PROBE							Component	ATA:28
PN:10309T03Y00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:MN51566	HRS	0			TSN 0				
WC#: 28.130	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 28 - FUEL</b>									
A281001 <sup>S</sup>	DETAILED INSPECTION FUEL STORAGE SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:28
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 28.160	AFL	0							
	PROC. REF: AMM 28-10-00								PKG:10
B284001 <sup>S</sup>	FUNCTIONAL CHECK FUEL INDICATING SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:28
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 28.200	AFL	0							
	PROC. REF: AMM 28-40-00								PKG:10
B284003 <sup>S</sup>	FUNCTIONAL CHECK LOW FUEL WARNING AND LOW FUEL PRESSURE SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:28
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 28.210	AFL	0							
	PROC. REF: AMM 28-40-00								PKG:10
<b>ATA 29 - HYDRAULIC POWER</b>									
291007	PRESSURE SWITCH							Component	ATA:29
PN:GPP1250-301	MOS/MSC	17-May-21	O/C		TSN 0				
SN:20313230	HRS	0			TSN 0				
WC#: 29.050	AFL	0			TSN 0				
	PROC. REF: GENERIC NO REF								
291009	LEFT ENGINE DRIVEN HYDRAULIC PUMP							Component	ATA:29
PN:4120-046000	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1233B	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 29-10-00								
291009	RIGHT ENGINE DRIVEN HYDRAULIC PUMP							Component	ATA:29
PN:4120-046000	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1235B	HRS	0			TSN 0				
	AFL	0			TSN 0				
	PROC. REF: AMM 29-10-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291009A HYDRAULIC RELIEF VALVE Component ATA:29</b>								
PN:2576-2	MOS/MSC	17-May-21	O/C	TSN 0				
SN:2779A	HRS	0		TSN 0				
WC#: 29.070	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291010 LEFT HYDRAULIC SHUTOFF VALVE ASSY Component ATA:29</b>								
PN:AV24B1388-2	MOS/MSC	17-May-21	O/C	TSN 0				
SN:AA769695	HRS	0		TSN 0				
WC#: 29.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291010 RIGHT HYDRAULIC SHUTOFF VALVE ASSY Component ATA:29</b>								
PN:AV24B1388-2	MOS/MSC	17-May-21	O/C	TSN 0				
SN:AA769694	HRS	0		TSN 0				
WC#: 29.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291011 LEFT FLOW SWITCH/CHECK HYD VALVE Component ATA:29</b>								
PN:V10F-75	MOS/MSC	17-May-21	O/C	TSN 0				
SN:137	HRS	0		TSN 0				
WC#: 29.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291011 RIGHT FLOW SWITCH/CHECK HYD VALVE Component ATA:29</b>								
PN:V10F-75	MOS/MSC	17-May-21	O/C	TSN 0				
SN:158	HRS	0		TSN 0				
WC#: 29.100	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291012 SPEED BRAKE DUMP VALVE SOLENOID Component ATA:29</b>								
PN:4082-6	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1696	HRS	0		TSN 0				
WC#: 29.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291013 LOADING VALVE SOLENOID Component ATA:29</b>								
PN:4134-5	MOS/MSC	17-May-21	O/C	TSN 0				
SN:3043	HRS	0		TSN 0				
WC#: 29.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
<b>291014 LANDING GEAR VALVE SOLENOID</b> <span style="float:right">Component ATA:29</span>								
PN:4051-4	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1655	HRS	0		TSN 0				
WC#: 29.110	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291016 LEFT SPEED BRAKE PORTION VALVE</b> <span style="float:right">Component ATA:29</span>								
PN:9505-1	MOS/MSC	17-May-21	O/C	TSN 0				
SN:3353	HRS	0		TSN 0				
WC#: 29.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291016 RIGHT SPEED BRAKE PORTION VALVE</b> <span style="float:right">Component ATA:29</span>								
PN:9505-1	MOS/MSC	17-May-21	O/C	TSN 0				
SN:3354	HRS	0		TSN 0				
WC#: 29.130	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291017 SPEED BRAKE PORTION VALVE</b> <span style="float:right">Component ATA:29</span>								
PN:2577-1	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1700	HRS	0		TSN 0				
WC#: 29.140	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291018 PNEUMATIC DUMP VALVE</b> <span style="float:right">Component ATA:29</span>								
PN:9503-2	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1699	HRS	0		TSN 0				
WC#: 29.140	AFL	0		TSN 0				
PROC. REF: AMM 29-10-00								
<b>291020 SPEEDBRAKE VALVE SOLENOID</b> <span style="float:right">Component ATA:29</span>								
PN:4052-3	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1726	HRS	0		TSN 0				
WC#: 29.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>291021 FLAP VALVE SOLENOID</b> <span style="float:right">Component ATA:29</span>								
PN:4052-4	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1765	HRS	0		TSN 0				
WC#: 29.160	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 29 - HYDRAULIC POWER</b>								
D291001 <sup>S</sup> DISCARD HYDRAULIC FLUID FILTER: INSPECTION DOCUMENT 10								Service ATA:29
	MOS	17-May-21	36 (+2m)					
	HRS	0	1200 (+30)					
WC#: 29.190	AFL	0						
PROC. REF: AMM 29-10-00								PKG:10
<b>ATA 30 - ICE AND RAIN PROTECTION</b>								
301001 SHUTOFF ISOLATION VALVE								Component ATA:30
PN:2602-36	MOS/MSC	17-May-21	O/C	TSN 0				
SN:2824	HRS	0		TSN 0				
WC#: 30.010	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301002 LEFT PNUEMATIC DEICE SWITCH								Component ATA:30
PN:1106P55-1	MOS/MSC	17-May-21	O/C	TSN 0				
SN:12910A	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301002 RIGHT PNUEMATIC DEICE SWITCH								Component ATA:30
PN:1106P55-1	MOS/MSC	17-May-21	O/C	TSN 0				
SN:12984A	HRS	0		TSN 0				
WC#: 30.020	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301003 LEFT BLEED AIR PRESSURE REGULATOR SHUTOFF VALVE								Component ATA:30
PN:5285-00-3	MOS/MSC	17-May-21	O/C	TSN 0				
SN:4999	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
301003 RIGHT BLEED AIR PRESSURE REGULATOR SHUTOFF VALVE								Component ATA:30
PN:5285-00-3	MOS/MSC	17-May-21	O/C	TSN 0				
SN:5001	HRS	0		TSN 0				
WC#: 30.030	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
301004	LEFT TEMPERATURE DEICE SWITCH							Component	ATA:30
PN:1173T42-4	MOS/MSC	17-May-21	O/C		TSN 0				
SN:5747	HRS	0			TSN 0				
WC#: 30.040	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
301004	RIGHT TEMPERATURE DEICE SWITCH							Component	ATA:30
PN:1173T42-4	MOS/MSC	17-May-21	O/C		TSN 0				
SN:5777	HRS	0			TSN 0				
WC#: 30.040	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
301010	LEFT HORIZONTAL STABILIZER BOOT							Component	ATA:30
PN:29S4D5244-11	MOS/MSC	17-May-21	O/C		TSN 0				
SN:NFT4040	HRS	0			TSN 0				
WC#: 30.050	AFL	0			TSN 0				
PROC. REF: AMM 30-12-00									
301010	RIGHT HORIZONTAL STABILIZER BOOT							Component	ATA:30
PN:29S4D5244-12	MOS/MSC	17-May-21	O/C		TSN 0				
SN:NFS8610	HRS	0			TSN 0				
WC#: 30.050	AFL	0			TSN 0				
PROC. REF: AMM 30-12-00									
301012	LEFT WING SHUTOFF PRESSURE REGULATING VALVE							Component	ATA:30
PN:1H127-4	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2BV12	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
301012	RIGHT WING SHUTOFF PRESSURE REGULATING VALVE							Component	ATA:30
PN:1H127-4	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2BV11	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
303002	LEFT HEATED PITOT TUBE							Component	ATA:30
PN:PH502	MOS/MSC	17-May-21	O/C		TSN 0				
SN:AS11204846	HRS	0			TSN 0				
WC#: 30.090	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
<b>303002</b>		<b>RIGHT HEATED PITOT TUBE</b>					<b>Component</b>		<b>ATA:30</b>
PN:PH502	MOS/MSC	17-May-21	O/C	TSN 0					
SN:AS11204847	HRS	0		TSN 0					
WC#: 30.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304001</b>		<b>LH B/A TEMP MONITOR-</b>					<b>Component</b>		<b>ATA:30</b>
PN:1169-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:105159	HRS	0		TSN 0					
WC#: 30.100	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304002</b>		<b>HEAT EXCHANGER</b>					<b>Component</b>		<b>ATA:30</b>
PN:10653A	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2747	HRS	0		TSN 0					
WC#: 30.110	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304003</b>		<b>WINDSHIELD S/O VALVE</b>					<b>Component</b>		<b>ATA:30</b>
PN:991204-9	MOS/MSC	13-May-22	O/C	TSO 0					
SN:7AJ69	HRS	242.5		TSO 0					
WC#: 30.120	AFL	213		TSO 0					
PROC. REF: GENERIC NO REF									
<b>304004</b>		<b>LEFT PITOT STATIC CURRENT SENSOR</b>					<b>Component</b>		<b>ATA:30</b>
PN:76250-6	MOS/MSC	17-May-21	O/C	TSN 0					
SN:16041	HRS	0		TSN 0					
WC#: 30.130	AFL	0		TSN 0					
PROC. REF: AMM 30-30-00									
<b>304004</b>		<b>RIGHT PITOT STATIC CURRENT SENSOR</b>					<b>Component</b>		<b>ATA:30</b>
PN:76250-6	MOS/MSC	17-May-21	O/C	TSN 0					
SN:16036	HRS	0		TSN 0					
WC#: 30.130	AFL	0		TSN 0					
PROC. REF: AMM 30-30-00									
<b>304005</b>		<b>LEFT SENSOR</b>					<b>Component</b>		<b>ATA:30</b>
PN:76552-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13509	HRS	0		TSN 0					
WC#: 30.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
<b>304005</b>		<b>RIGHT SENSOR</b>					<b>Component</b>		<b>ATA:30</b>
PN:76552-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13499	HRS	0		TSN 0					
WC#: 30.290	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304006</b>		<b>TEMP BLEED AIR CONTROLLER</b>					<b>Component</b>		<b>ATA:30</b>
PN:1E58-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:5BU27	HRS	0		TSN 0					
WC#: 30.140	AFL	0		TSN 0					
PROC. REF: AMM 30-42-00									
<b>304007</b>		<b>TEMP CONTROL BLEED AIR VALVE</b>					<b>Component</b>		<b>ATA:30</b>
PN:27241287	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1BV1P	HRS	0		TSN 0					
WC#: 30.140	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304009</b>		<b>LEFT SOLENOID DEICE VALVE</b>					<b>Component</b>		<b>ATA:30</b>
PN:3D2353-06	MOS/MSC	17-May-21	O/C	TSN 0					
SN:N200847	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304009</b>		<b>RIGHT SOLENOID DEICE VALVE</b>					<b>Component</b>		<b>ATA:30</b>
PN:3D2353-06	MOS/MSC	17-May-21	O/C	TSN 0					
SN:N200828	HRS	0		TSN 0					
WC#: 30.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304012</b>		<b>LEFT WINDSHIELD BLEED AIR VALVE</b>					<b>Component</b>		<b>ATA:30</b>
PN:1403-25	MOS/MSC	17-May-21	O/C	TSN 0					
SN:6545	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304012</b>		<b>RIGHT WINDSHIELD BLEED AIR VALVE</b>					<b>Component</b>		<b>ATA:30</b>
PN:1403-25	MOS/MSC	17-May-21	O/C	TSN 0					
SN:6532	HRS	0		TSN 0					
WC#: 30.180	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
<b>304013</b>		<b>PRESSURE WINDSHIELD SWITCH</b>					<b>Component</b>		<b>ATA:30</b>
PN:1115P25	MOS/MSC	17-May-21	O/C	TSN 0					
SN:5734AB	HRS	0		TSN 0					
WC#: 30.190	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>304014</b>		<b>AFT TEMPERATURE EVAPORATOR SENSOR</b>					<b>Component</b>		<b>ATA:30</b>
PN:27221274	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1BV9	HRS	0		TSN 0					
WC#: 30.200	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>A301201<sup>S</sup></b>		<b>DETAILED INSPECTION HORIZONTAL STABILIZER DEICING BOOTS: INSPECTION DOCUMENT 08</b>					<b>Service</b>		<b>ATA:30</b>
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 30.220	AFL	272							
PROC. REF: AMM 30-12-00									
<b>B301001<sup>S</sup></b>		<b>OPERATIONAL CHECK WING ANTI-ICE CROSSFLOW VALVE: INSPECTION DOCUMENT 08</b>					<b>Service</b>		<b>ATA:30</b>
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 30.240	AFL	272							
PROC. REF: AMM 30-10-00									
<b>B301203<sup>S</sup></b>		<b>FUNCTIONAL CHECK HORIZONTAL STABILIZER DEICE SYSTEM: INSPECTION DOCUMENT 10</b>					<b>Service</b>		<b>ATA:30</b>
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 30.230	AFL	0							
PROC. REF: AMM 30-12-00									
<b>B304201<sup>S</sup></b>		<b>OPERATIONAL CHECK WINDSHIELD BLEED AIR ANTI-ICE SYSTEM: INSPECTION DOCUMENT 21</b>					<b>Service</b>		<b>ATA:30</b>
	MOS	12-May-23	24 (+2m)						
	HRS	392.5	600 (+30)						
WC#: 30.210	AFL	325							
PROC. REF: AMM 30-42-00									
<b>B304401<sup>S</sup></b>		<b>OPERATIONAL CHECK WINDSHIELD ALCOHOL ANTI-ICE SYSTEM: INSPECTION DOCUMENT 08</b>					<b>Service</b>		<b>ATA:30</b>
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 30.250	AFL	272							
PROC. REF: AMM 30-44-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 30 - ICE AND RAIN PROTECTION</b>									
B304403 <sup>S</sup>	WINDSHIELD ALCOHOL ANTI-ICE SYSTEM OPERATIONAL CHECK: DOCUMENT 10							Service	ATA:30
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
	AFL	0							
					PROC. REF: AMM 30-44-00			PKG:10	
D304401 <sup>S</sup>	RESTORATION WINDSHIELD ALCOHOL PUMP FILTER: INSPECTION DOCUMENT 10							Service	ATA:30
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 30.280	AFL	0							
					PROC. REF: AMM 30-44-00			PKG:10	
<b>ATA 31 - INDICATING/RECORDING SYSTEMS</b>									
313003	ARES II 24-CH FLIGHT DATA RECORDER							Component	ATA:31
PN:6918236-20	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2199	HRS	0			TSN 0				
WC#: 31.030	AFL	0			TSN 0				
					PROC. REF: AMM 31-30-00				
B315201 <sup>S</sup>	OPERATIONAL CHECK CAS MESSAGE: INSPECTION DOCUMENT 08							Service	ATA:31
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 27.040	AFL	272							
					PROC. REF: AMM 31-52-00			PKG:8	
B315203 <sup>S</sup>	OPERATIONAL CHECK DUCT OVERHEAT CAS MESSAGE: INSPECTION DOCUMENT 08							Service	ATA:31
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 27.040	AFL	272							
					PROC. REF: AMM 31-52-00			PKG:8	
B315205 <sup>S</sup>	OPERATIONAL CHECK OIL PRESSURE LOW CAS MESSAGE: INSPECTION DOCUMENT 08							Service	ATA:31
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 27.040	AFL	272							
					PROC. REF: AMM 31-52-00, AMM 79-30-05			PKG:8	
<b>ATA 32 - LANDING GEAR</b>									
321001	NOSE LANDING GEAR STRUT AND ATTACHING HARDWARE ASSEMBLY							Component	ATA:32
PN:6342000-45	MOS	17-May-21			TSN 0			LIFE LIMIT	
SN:30360317	HRS	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
WC#: 32.280	AFL	0	22500	TSN 0	22500		22131		
PROC. REF: GENERIC NO REF									
<b>321003</b>	<b>LEFT MAIN LANDING GEAR TRUNNION ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>
PN:6341007-15	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29480044C	HRS	0		TSN 0					
WC#: 32.020	AFL	0	9310	TSN 0	9310		8941		
PROC. REF: GENERIC NO REF									
<b>321004</b>	<b>RIGHT MAIN LANDING GEAR TRUNNION ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>
PN:6341007-16	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29817366	HRS	0		TSN 0					
WC#: 32.020	AFL	0	9310	TSN 0	9310		8941		
PROC. REF: GENERIC NO REF									
<b>321005</b>	<b>LEFT TRAILING LINK AND AXLE ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>
PN:6341002-27	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:30228062	HRS	0		TSN 0					
WC#: 32.480	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: GENERIC NO REF									
<b>321006</b>	<b>RIGHT TRAILING LINK AND AXLE ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>
PN:6341002-28	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:30227516	HRS	0		TSN 0					
WC#: 32.480	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: GENERIC NO REF									
<b>321007</b>	<b>SHIMMY DAMPER ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>
PN:6343001-10	MOS/MSC	13-May-22	O/C	TSO 0					
SN:627	HRS	242.5		TSO 0					
WC#: 32.040	AFL	213		TSO 0					
PROC. REF: AMM 32-20-05									
<b>321008</b>	<b>LEFT OLEO ASSEMBLY</b>							<b>Component</b>	<b>ATA:32</b>
PN:6341130-12	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:30186283	HRS	0		TSN 0					
WC#: 32.050	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: AMM 32-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>321008 RIGHT OLEO ASSEMBLY</b>								
PN:6341130-12	MOS	17-May-21		TSN 0				Component ATA:32 LIFE LIMIT
SN:30072599	HRS	0		TSN 0				
WC#: 32.050	AFL	0	21100	TSN 0	21100		20731	
PROC. REF: AMM 32-10-00								
<b>321009 FORK AND PISTON ASSEMBLY</b>								
PN:6342000-44	MOS	17-May-21		TSN 0				Component ATA:32 LIFE LIMIT
SN:30216075	HRS	0		TSN 0				
WC#: 32.030	AFL	0	12500	TSN 0	12500		12131	
PROC. REF: AMM 32-20-00								
<b>323000 NOSE LANDING GEAR ACTUATOR ASSEMBLY</b>								
PN:1541900-7	MOS	17-May-21		TSN 0				Component ATA:32 LIFE LIMIT
SN:2540	HRS	0		TSN 0				
WC#: 32.060	AFL	0	7500	TSN 0	7500		7131	
PROC. REF: AMM 32-30-10								
<b>323001 LEFT MAIN LANDING GEAR ACTUATOR ASSEMBLY</b>								
PN:1541800-13	MOS	17-May-21		TSN 0				Component ATA:32 LIFE LIMIT
SN:2070	HRS	0		TSN 0				
WC#: 32.070	AFL	0	8952	TSN 0	8952		8583	
PROC. REF: AMM 32-30-15								
<b>323002 RIGHT MAIN LANDING GEAR ACTUATOR ASSEMBLY</b>								
PN:1541800-13	MOS	17-May-21		TSN 0				Component ATA:32 LIFE LIMIT
SN:2072	HRS	0		TSN 0				
WC#: 32.070	AFL	0	8952	TSN 0	8952		8583	
PROC. REF: AMM 32-30-15								
<b>323003 NG UPLOCK ACTUATOR</b>								
PN:6327504-7	MOS/MSC	17-May-21	O/C	TSN 0				Component ATA:32
SN:2221	HRS	0		TSN 0				
WC#: 32.060	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>323005 LEFT MLG UPLOCK ACTUATOR</b>								
PN:6327504-6	MOS/MSC	17-May-21	O/C	TSN 0				Component ATA:32
SN:4691	HRS	0		TSN 0				
WC#: 32.080	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>323005</b>		<b>RIGHT MLG UPLOCK ACTUATOR</b>					<b>Component</b>	<b>ATA:32</b>	
PN:6327504-6	MOS/MSC	17-May-21	O/C	TSN 0					
SN:4692	HRS	0		TSN 0					
WC#: 32.080	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>323006</b>		<b>HYD SHUTTLE VALVE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:95784	MOS/MSC	17-May-21	O/C	TSN 0					
SN:5268A	HRS	0		TSN 0					
WC#: 32.090	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324001</b>		<b>LEFT MAIN LANDING GEAR WHEEL</b>					<b>Component</b>	<b>ATA:32</b>	
PN:3-1527-2	MOS/MSC	19-Jul-22	O/C	TSO 3					
SN:1155	HRS	281.6		TSO 0					
WC#: 32.100	AFL	240		TSO 0					
PROC. REF: AMM 32-42-00									
<b>324001</b>		<b>RIGHT MAIN LANDING GEAR WHEEL</b>					<b>Component</b>	<b>ATA:32</b>	
PN:3-1527-2	MOS/MSC	17-May-21	O/C	TSN 0					
SN:D0121	HRS	0		TSN 0					
WC#: 32.100	AFL	0		TSN 0					
PROC. REF: AMM 32-42-00									
<b>324002</b>		<b>NOSE LANDING GEAR WHEEL ASSY</b>					<b>Component</b>	<b>ATA:32</b>	
PN:3-1418	MOS/MSC	27-Jun-23	O/C	TSN 25					
SN:D0277	HRS	413.2		TSN 413.2					
WC#: 32.110	AFL	344		TSN 344					
PROC. REF: AMM 32-42-00									
<b>324005</b>		<b>LEFT MLG TIRE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:277K08-1	MOS/MSC	19-Jul-22	O/C	TSN 0					
SN:20390758	HRS	281.6		TSN 0					
WC#: 32.100	AFL	240							
PROC. REF: GENERIC NO REF									
<b>324005</b>		<b>RIGHT MLG TIRE</b>					<b>Component</b>	<b>ATA:32</b>	
PN:277K08-1	MOS/MSC	13-May-22	O/C	TSN 0					
SN:20330182	HRS	242.5		TSN 0					
WC#: 32.100	AFL	213		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
<b>324007</b>		<b>NOSE LANDING GEAR TIRE</b>							<b>Component ATA:32</b>
PN:030-611-0	MOS/MSC	27-Jun-23	O/C	TSN 0					
SN:2261T00456	HRS	413.2		TSN 0					
WC#: 32.110	AFL	344		TSN 0					
PROC. REF: AMM 32-42-00									
<b>324016</b>		<b>LEFT MAIN LANDING GEAR BRAKE ASSY</b>							<b>Component ATA:32</b>
PN:2-1559-3	MOS/MSC	19-Jul-22	O/C	TSO 1					
SN:0863	HRS	281.6		TSO 0					
WC#: 32.130	AFL	240		TSO 0					
PROC. REF: GENERIC NO REF									
<b>324016</b>		<b>RIGHT MAIN LANDING GEAR BRAKE ASSY</b>							<b>Component ATA:32</b>
PN:2-1559-3	MOS/MSC	19-Jul-22	O/C	TSO 1					
SN:0850	HRS	281.6		TSO 0					
WC#: 32.130	AFL	240		TSO 0					
PROC. REF: GENERIC NO REF									
<b>324101</b>		<b>POWER BRAKE AND ANTISKID VALVE</b>							<b>Component ATA:32</b>
PN:38-747-1	MOS/MSC	19-Jul-22	O/C	TSO 0					
SN:955	HRS	281.6		TSO 0					
WC#: 32.140	AFL	240		TSO 0					
PROC. REF: GENERIC NO REF									
<b>324102</b>		<b>LEFT ANTISKID TRANSDUCER ASSEMBLY</b>							<b>Component ATA:32</b>
PN:40-955	MOS/MSC	17-May-21	O/C	TSN 0					
SN:11744	HRS	0		TSN 0					
WC#: 32.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324102</b>		<b>RIGHT ANTISKID TRANSDUCER ASSEMBLY</b>							<b>Component ATA:32</b>
PN:40-955	MOS/MSC	17-May-21	O/C	TSN 0					
SN:11731	HRS	0		TSN 0					
WC#: 32.150	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>324103</b>		<b>BRAKE CONTROL BOX</b>							<b>Component ATA:32</b>
PN:9912305-6	MOS/MSC	22-Aug-22	O/C	TSN 0					
SN:1879	HRS	287.3		TSN 0					
WC#: 32.160	AFL	244		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 32 - LANDING GEAR</b>								
<b>324106 HYDRAULIC PUMP MOTOR</b> <span style="float:right">Component ATA:32</span>								
PN:MP50B1	MOS/MSC	17-May-21	O/C	TSN 0				
SN:5726	HRS	0		TSN 0				
WC#: 32.200	AFL	0		TSN 0				
PROC. REF: AMM 32-44-25								
<b>324110 EMERGENCY BRAKE VALVE ASSY</b> <span style="float:right">Component ATA:32</span>								
PN:878208-05	MOS/MSC	17-May-21	O/C	TSN 0				
SN:V916A	HRS	0		TSN 0				
WC#: 32.240	AFL	0		TSN 0				
PROC. REF: AMM 32-44-30								
<b>324112 PRESSURE ANTISKID SWITCH</b> <span style="float:right">Component ATA:32</span>								
PN:38-747502	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1241	HRS	0		TSN 0				
WC#: 32.270	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>326006 EMERGENCY GEAR BOTTLE</b> <span style="float:right">Component ATA:32</span>								
PN:40005320-2	MOS	01-Apr-21	288	TSN 0	30-Apr-45		7910 d	LIFE LIMIT
SN:10645	HRS			TSN 0				
WC#: 32.320	AFL			TSN 0				
Manufacture Date:: 01-Apr-21 PROC. REF: GENERIC NO REF								
<b>342086 CENTER GDU 1450W (MFD) MULTIFUNCTION FLIGHT DISPLAY</b> <span style="float:right">Component ATA:32</span>								
PN:011-04187-00	MOS/MSC	01-Aug-23	O/C					
SN:4VS005585	HRS	428.8		TSN 428.8				
	AFL	358		TSN 358				
PROC. REF: GENERIC NO REF								
<b>A320001<sup>S</sup> ZONAL INSPECTION LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 10</b> <span style="float:right">Service ATA:32</span>								
	MOS	17-May-21	36 (+2m)					
	HRS	0	1200 (+30)					
WC#: 32.420	AFL	0						
PROC. REF: AMM 32-00-00 <span style="float:right">PKG:10</span>								
<b>A320003<sup>S</sup> GENERAL VISUAL INSPECTION (CORROSION INSPECT) LANDING GEAR: INSPECTION DOCUMENT 36</b> <span style="float:right">Service ATA:32</span>								
	MOS	12-May-23	6 (+2m)					
	HRS	392.5						
	AFL	325						
PROC. REF: AMM 32-00-00 <span style="float:right">PKG:36</span>								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
A320005 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) LANDING GEAR: INSPECTION DOCUMENT 02							Service	ATA:32
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
	AFL	325							
					PROC. REF: AMM 32-00-00			PKG:2	
A320007 <sup>S</sup>	INSPECT MAIN AND NOSE GEAR ACTUATOR AXIAL MOVEMENT: INSPECTION DOCUMENT 08							Service	ATA:32
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 32.360	AFL	272							
					PROC. REF: AMM 32-00-00			PKG:8	
A322001 <sup>S</sup>	INSPECT FORK AND PISTON ASSEMBLY NOSE LANDING GEAR FORK: INSPECTION DOCUMENT MD							Service	ATA:32
PN:6342000-44	MOS	17-May-21						AIRWORTHINESS	
SN:30216075	HRS	0							
WC#: 32.030	AFL	0	T:5000						
					PROC. REF: AMM 32-20-00			PKG:39	
A324201	SPECIAL DETAIL INSPECT LEFT MAIN LANDING GEAR WHEEL (NDI): INSPECTION DOCUMENT 14							Service	ATA:32
PN:3-1527-2	MOS/MSC		T/C						
SN:1155	HRS								
WC#: 32.100	AFL								
					PROC. REF: AMM 32-42-00			PKG:14	
A324201	SPECIAL DETAIL INSPECT NOSE LANDING GEAR WHEEL ASSY (NDI): INSPECTION DOCUMENT 14							Service	ATA:32
PN:3-1418	MOS/MSC	17-May-21	T/C						
SN:D0277	HRS	0							
WC#: 32.110	AFL	0							
					PROC. REF: AMM 32-42-00			PKG:14	
A324201	SPECIAL DETAIL INSPECT RIGHT MAIN LANDING GEAR WHEEL (NDI): INSPECTION DOCUMENT 14							Service	ATA:32
PN:3-1527-2	MOS/MSC	17-May-21	T/C						
SN:D0121	HRS	0							
WC#: 32.100	AFL	0							
					PROC. REF: AMM 32-42-00			PKG:14	
B320001 <sup>S</sup>	FUNCTIONAL CHECK LANDING GEAR SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:32
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 32.330	AFL	0							
					PROC. REF: AMM 32-00-00			PKG:10	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 32 - LANDING GEAR</b>									
B323201	RESTORATION (HYDROSTATIC TEST) EMERGENCY GEAR BOTTLE : INSPECTION DOCUMENT 04							Service	ATA:32
PN:40005320-2	MOS	01-Apr-21	36		30-Apr-24		240 d		
SN:10645	HRS								
WC#: 32.320	AFL								
PROC. REF: AMM 32-32-05								PKG:4	
B324401 <sup>S</sup>	FUNCTIONAL CHECK LANDING GEAR PNEUMATIC BRAKE SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:32
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 32.350	AFL	0							
PROC. REF: AMM 32-44-30								PKG:10	
C320001 <sup>S</sup>	LUBRICATE LANDING GEAR: INSPECTION DOCUMENT 02							Service	ATA:32
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
WC#: 32.390	AFL	325							
PROC. REF: AMM 32-00-00								PKG:2	
D324401 <sup>S</sup>	DISCARD ANTISKID MOTOR/PUMP ASSEMBLY FILTER ELEMENT: INSPECTION DOCUMENT 10							Service	ATA:32
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 32.370	AFL	0							
PROC. REF: AMM 32-44-00								PKG:10	
D324403 <sup>S</sup>	DISCARD/REPLACE BRAKE RESERVOIR AIR FILTER AND BRAKE RESERVOIR SUPPLY LINE FILTER: INSPECTION DOCUMENT 10							Service	ATA:32
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 32.380	AFL	0							
PROC. REF: AMM 32-44-20								PKG:10	
<b>ATA 33 - LIGHTS</b>									
330001	CENTER PANEL LIGHTS DIMMER							Component	ATA:33
PN:273-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:604	HRS	0			TSN 0				
WC#: 33.010	AFL	0			TSN 0				
PROC. REF: AMM 33-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>331003</b>		<b>INDIRECT LIGHTING CONTROL BOX</b>					<b>Component ATA:33</b>		
PN:CLC500-01	MOS/MSC	17-May-21	O/C	TSN 0					
SN:500007717	HRS	0		TSN 0					
WC#: 33.140	AFL	0		TSN 0					
PROC. REF: AMM 33-20-00									
<b>332009</b>		<b>L4 21" LIGHT ASSY</b>					<b>Component ATA:33</b>		
PN:CLE221-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:221004257	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>332009</b>		<b>R4 21" LIGHT ASSY</b>					<b>Component ATA:33</b>		
PN:CLE221-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:221004256	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>332010</b>		<b>L1 36" LIGHT ASSY</b>					<b>Component ATA:33</b>		
PN:CLE236-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:236032464	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>332010</b>		<b>L2 36" LIGHT ASSY</b>					<b>Component ATA:33</b>		
PN:CLE236-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:236032483	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>332010</b>		<b>L3 36" LIGHT ASSY</b>					<b>Component ATA:33</b>		
PN:CLE236-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:236032444	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>332010</b>		<b>R1 36" LIGHT ASSY</b>					<b>Component ATA:33</b>		
PN:CLE236-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:236032452	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
332010	R2 36" LIGHT ASSY							Component	ATA:33
PN:CLE236-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:236032475	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
332010	R3 36" LIGHT ASSY							Component	ATA:33
PN:CLE236-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:236032457	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
334001	GROUND RECOGNITION LIGHT							Component	ATA:33
PN:84003-3	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1362	HRS	0		TSN 0					
WC#: 33.070	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
334007	TAIL LIGHT ASSEMBLY							Component	ATA:33
PN:01-0770966-00	MOS/MSC	17-May-21	O/C	TSN 0					
SN:20404	HRS	0		TSN 0					
WC#: 33.160	AFL	0		TSN 0					
PROC. REF: AMM 33-40-00									
334008	LEFT PTA WINGTIP LIGHT							Component	ATA:33
PN:87-03916-001	MOS/MSC	17-May-21	O/C	TSN 0					
SN:367	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
334008	RIGHT PTA WINGTIP LIGHT							Component	ATA:33
PN:87-03917-001	MOS/MSC	17-May-21	O/C	TSN 0					
SN:379	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
334009	LH OVER WING LIGHT							Component	ATA:33
PN:OWL100-03	MOS/MSC	17-May-21	O/C	TSN 0					
SN:115011927	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 33 - LIGHTS</b>									
<b>334009</b>		<b>RH OVER WING LIGHT</b>							<b>Component ATA:33</b>
PN:OWL100-03	MOS/MSC	17-May-21	O/C	TSN 0					
SN:115012734	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>334010</b>		<b>LEFT LED LANDING LIGHT</b>							<b>Component ATA:33</b>
PN:LDL100-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:206002412	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-40-00									
<b>334010</b>		<b>RIGHT LED LANDING LIGHT</b>							<b>Component ATA:33</b>
PN:LDL100-02	MOS/MSC	17-May-21	O/C	TSN 0					
SN:206002422	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-40-00									
<b>B335001<sup>S</sup></b>		<b>FUNCTIONAL CHECK EMERGENCY LIGHTING SYSTEM: INSPECTION DOCUMENT 10</b>							<b>Service ATA:33</b>
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 33.130	AFL	0							
PROC. REF: AMM 33-50-00									
<b>ATA 34 - NAVIGATION</b>									
<b>341001</b>		<b>AOA COMPUTER</b>							<b>Component ATA:34</b>
PN:C12406-5	MOS/MSC	17-May-21	O/C	TSN 0					
SN:185894-02	HRS	0		TSN 0					
WC#: 34.010	AFL	0		TSN 0					
PROC. REF: AMM 34-25-00									
<b>341009</b>		<b>AOA SENSOR</b>							<b>Component ATA:34</b>
PN:C12417-2	MOS/MSC	17-May-21	O/C	TSN 0					
SN:185213-01	HRS	0		TSN 0					
WC#: 34.040	AFL	0		TSN 0					
PROC. REF: AMM 34-25-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>341010</b>		<b>AFT RADIO ALTIMETER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:S67-2002	MOS/MSC	17-May-21	O/C		TSN 0				
SN:543-102612	HRS	0			TSN 0				
WC#: 34.050	AFL	0			TSN 0				
PROC. REF: AMM 34-41-00									
<b>341010</b>		<b>FORWARD RADIO ALTIMETER ANTENNA</b>						<b>Component</b>	<b>ATA:34</b>
PN:S67-2002	MOS/MSC	17-May-21	O/C		TSN 0				
SN:543-102613	HRS	0			TSN 0				
WC#: 34.050	AFL	0			TSN 0				
PROC. REF: AMM 34-41-00									
<b>342015</b>		<b>LEFT AHRS COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:011-03732-00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:45T004592	HRS	0			TSN 0				
WC#: 34.135	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>342015</b>		<b>RIGHT AHRS COMPUTER</b>						<b>Component</b>	<b>ATA:34</b>
PN:011-03732-00	MOS/MSC	17-May-21	O/C		TSN 0				
SN:45T004594	HRS	0			TSN 0				
WC#: 34.135	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>342056</b>		<b>MULTI-FUNCTION MODULE</b>						<b>Component</b>	<b>ATA:34</b>
PN:9118009-4	MOS/MSC	17-May-21	O/C		TSN 0				
SN:813	HRS	0			TSN 0				
WC#: 34.610	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>342062</b>		<b>LEFT GEA 71 ENGINE &amp; AIRFRAME IO UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:011-03682-04	MOS/MSC	17-May-21	O/C		TSN 0				
SN:4RE001214	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>342062</b>		<b>RIGHT GEA 71 ENGINE &amp; AIRFRAME IO UNIT</b>						<b>Component</b>	<b>ATA:34</b>
PN:011-03682-04	MOS/MSC	17-May-21	O/C		TSN 0				
SN:4RE001215	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>342063 LEFT GTC 575 PORTRAIT-ORIENTED TOUCHSCREEN CONTROLLER</b>								Component ATA:34
PN:S3100-641	MOS/MSC	17-May-21	O/C	TSN 0				
SN:4MT102587	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>342063 RIGHT GTC 575 PORTRAIT-ORIENTED TOUCHSCREEN CONTROLLER</b>								Component ATA:34
PN:S3100-641	MOS/MSC	17-May-21	O/C	TSN 0				
SN:4MT1025895	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>342078 LEFT GIA 64E INTEGRATED AVIONICS, NAV, COM, GPS/WAAS, FD UNIT</b>								Component ATA:34
PN:011-03711-41	MOS/MSC	17-Nov-22	O/C	TSO 18				
SN:5RV005355	HRS	336.5		TSO 336.5				
	AFL	274		TSO 274				
PROC. REF: GENERIC NO REF								
<b>342078 RIGHT GIA 64E INTEGRATED AVIONICS, NAV, COM, GPS/WAAS, FD UNIT</b>								Component ATA:34
PN:011-03711-41	MOS/MSC	29-Nov-22	O/C	TSO 120				
SN:5RV005340	HRS	341.6		TSO 0				
	AFL	291		TSO 0				
PROC. REF: GENERIC NO REF								
<b>342082 ELECTRONIC STANDBY INDICATOR (4-IN-1) DISPLAY</b>								Component ATA:34
PN:9200-32100-0201	MOS/MSC	17-May-21	O/C	TSN 0				
SN:4289	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-16-05								
<b>342085 NO. 1 GDC 7400 RVSM AIR DATA COMPUTER</b>								Component ATA:34
PN:011-02337-01	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1U6103093	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-12-05								
<b>342085 NO. 2 GDC 7400 RVSM AIR DATA COMPUTER</b>								Component ATA:34
PN:011-02337-01	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1U6103160	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-12-05								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>342086 COPILOT GDU 1450W (PFD) PRIMARY FLIGHT DISPLAY</b>								Component ATA:34
PN:011-04187-00	MOS/MSC	01-Aug-23	O/C					
SN:4VS005487	HRS	428.8		TSN 428.8				
	AFL	358		TSN 358				
PROC. REF: GENERIC NO REF								
<b>342086 PILOT GDU 1450W (PFD) PRIMARY FLIGHT DISPLAY</b>								Component ATA:34
PN:011-04187-00	MOS/MSC	17-May-21	O/C	TSN 0				
SN:4VS005361	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>342090 GWX70 ANTENNA</b>								Component ATA:34
PN:117-00254-01	MOS/MSC	17-May-21	O/C	TSN 0				
SN:4260	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>342800 LEFT GMU 44 MAGNETOMETER</b>								Component ATA:34
PN:011-00870-10	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1CM035834	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-10								
<b>342800 RIGHT GMU 44 MAGNETOMETER</b>								Component ATA:34
PN:011-00870-10	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1CM035829	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-28-10								
<b>343010 MARKER BEACON COUPLER</b>								Component ATA:34
PN:DMB20-20	MOS/MSC	17-May-21	O/C	TSN 0				
SN:5986	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-30-10								
<b>344001 ANTENNA GLIDESLOPE COUPLER</b>								Component ATA:34
PN:DGSC20-02	MOS/MSC	17-May-21	O/C	TSN 0				
SN:9861	HRS	0		TSN 0				
WC#: 34.260	AFL	0		TSN 0				
PROC. REF: AMM 34-30-05								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
344024	RADIO ALTIMETER INDICATOR							Component	ATA:34
PN:822-0615-206	MOS/MSC	17-May-21	O/C		TSN 0				
SN:4N8KC9	HRS	0			TSN 0				
WC#: 34.320	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
345001	LOWER FORWARD DME #1 ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	17-May-21	O/C		TSN 0				
SN:14291	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 34-51-00									
345004	L/H LOWER TRANSPONDER ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	17-May-21	O/C		TSN 0				
SN:14341	HRS	0			TSN 0				
WC#: 34.285	AFL	0			TSN 0				
PROC. REF: AMM 34-57-00, AMM 34-57-00									
345004	L/H UPPER TRANSPONDER ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	17-May-21	O/C		TSN 0				
SN:14223	HRS	0			TSN 0				
WC#: 34.370	AFL	0			TSN 0				
PROC. REF: AMM 34-57-00, AMM 34-57-00									
345004	R/H LOWER TRANSPONDER ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	17-May-21	O/C		TSN 0				
SN:14296	HRS	0			TSN 0				
WC#: 34.285	AFL	0			TSN 0				
PROC. REF: AMM 34-57-00, AMM 34-57-00									
345004	R/H UPPER TRANSPONDER ANTENNA							Component	ATA:34
PN:L10-611-14	MOS/MSC	17-May-21	O/C		TSN 0				
SN:14303	HRS	0			TSN 0				
WC#: 34.370	AFL	0			TSN 0				
PROC. REF: AMM 34-57-00, AMM 34-57-00									
345005	MARKER BEACON ANTENNA							Component	ATA:34
PN:MB10-754	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2879	HRS	0			TSN 0				
WC#: 34.380	AFL	0			TSN 0				
PROC. REF: AMM 34-30-10									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 34 - NAVIGATION</b>									
<b>345006</b>		<b>GLIDESLOPE ANTENNA</b>					<b>Component ATA:34</b>		
PN:RGS10-48	MOS/MSC	17-May-21	O/C	TSN 0					
SN:21396	HRS	0		TSN 0					
WC#: 34.380	AFL	0		TSN 0					
PROC. REF: AMM 34-30-05									
<b>345008</b>		<b>LEFT DME 1 RECEIVER</b>					<b>Component ATA:34</b>		
PN:822-1466-001	MOS/MSC	17-May-21	O/C	TSN 0					
SN:4NC6GP	HRS	0		TSN 0					
WC#: 34.295	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>345022</b>		<b>LEFT NAVIGATION(VOR/LOC/GS) ANTENNA</b>					<b>Component ATA:34</b>		
PN:S65-247-38	MOS/MSC	17-May-21	O/C	TSN 0					
SN:180-14841	HRS	0		TSN 0					
WC#: 34.420	AFL	0		TSN 0					
PROC. REF: AMM 34-50-00									
<b>345022</b>		<b>RIGHT NAVIGATION(VOR/LOC/GS) ANTENNA</b>					<b>Component ATA:34</b>		
PN:S65-247-38	MOS/MSC	17-May-21	O/C	TSN 0					
SN:180-04842	HRS	0		TSN 0					
WC#: 34.420	AFL	0		TSN 0					
PROC. REF: AMM 34-50-00									
<b>345045</b>		<b>EGPWS PROCESSOR</b>					<b>Component ATA:34</b>		
PN:011-03997-00	MOS/MSC	17-May-21	O/C	TSN 0					
SN:4RR002112	HRS	0		TSN 0					
WC#: 34.365	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>345070</b>		<b>LEFT GTX 3000 MODE S TCAS II TRANSPONDER</b>					<b>Component ATA:34</b>		
PN:011-01997-00	MOS/MSC	17-May-21	O/C	TSN 0					
SN:20S012751	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-57-00									
<b>345070</b>		<b>RIGHT GTX 3000 MODE S TCAS II TRANSPONDER</b>					<b>Component ATA:34</b>		
PN:011-01997-00	MOS/MSC	17-May-21	O/C	TSN 0					
SN:20S012742	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 34-57-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>345075<sup>U</sup> FLIGHT STREAM 510 SD CARD</b> Component ATA:34								
PN:011-03595-05	MOS/MSC	13-May-22	O/C	TSN 0				
SN:59Q003025	HRS	242.5		TSN 0				
	AFL	213		TSN 0				
<b>346030 TCAS PROCESSOR</b> Component ATA:34								
PN:011-02571-00	MOS/MSC	17-May-21	O/C	TSN 0				
SN:28P009625	HRS	0		TSN 0				
WC#: 34.435	AFL	0		TSN 0				
PROC. REF: AMM 34-46-05								
<b>346102 LH GCU 275 PFD CONTROLLER</b> Component ATA:34								
PN:011-01983-01	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1U7200788	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-61-35								
<b>346102 RH GCU 275 PFD CONTROLLER</b> Component ATA:34								
PN:011-01983-01	MOS/MSC	17-May-21	O/C	TSN 0				
SN:1U7200828	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-61-35								
<b>349000 PASSIVE IRIDIUM GPS ANTENNA</b> Component ATA:34								
PN:S67-1575-165	MOS/MSC	17-May-21	O/C	TSN 0				
SN:449-10407	HRS	0		TSN 0				
WC#: 34.485	AFL	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>B341101 CALIBRATION TEST ELECTRONIC STANDBY INDICATOR (4-IN-1) DISPLAY : INSPECTION DOCUMENT 13</b> Service ATA:34								
PN:9200-32100-0201	MOS	11-May-23	24		31-May-25		636 d	14 CFR
SN:4289	HRS							
WC#: 34.060	AFL							
PROC. REF: AMM 34-11-00, FAR 91.411								
<b>B341101 CALIBRATION TEST NO. 1 : INSPECTION DOCUMENT 13</b> Service ATA:34								
PN:011-02337-01	MOS	11-May-23	24		31-May-25		636 d	14 CFR
SN:1U6103093	HRS							
	AFL							
PROC. REF: AMM 34-11-00, FAR 91.411								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 34 - NAVIGATION</b>								
<b>B341101 CALIBRATION TEST NO. 2 : INSPECTION DOCUMENT 13 Service ATA:34</b>								
PN:011-02337-01	MOS	11-May-23	24		31-May-25		636 d	14 CFR
SN:1U6103160	HRS							
	AFL							
PROC. REF: AMM 34-11-00, FAR 91.411								PKG:13
<b>B341101 FUNCTIONAL CHECK LEFT PITOT-STATIC SYSTEM: INSPECTION DOCUMENT 13 Service ATA:34</b>								
	MOS	12-May-23	24		31-May-25		636 d	14 CFR
	HRS	392.5						
WC#: 34.500	AFL	325						
PROC. REF: AMM 34-11-00, FAR 91.411								PKG:13
<b>B341101 FUNCTIONAL CHECK RIGHT PITOT-STATIC SYSTEM: INSPECTION DOCUMENT 13 Service ATA:34</b>								
	MOS	12-May-23	24		31-May-25		636 d	14 CFR
	HRS	392.5						
	AFL	325						
PROC. REF: AMM 34-11-00, FAR 91.411								PKG:13
<b>B341600<sup>S</sup> PS-855 (LEAD ACID) EMERGENCY POWER SUPPLY CAPACITY TEST Service ATA:34</b>								
	MOS	12-May-23	12 (+2m)					
	HRS	392.5						
	AFL	325						
PROC. REF: AMM 34-16-00								PKG:2
<b>B345701 CALIBRATION CHECK LEFT GTX 3000 MODE S TCAS II TRANSPONDER ATC SYSTEM: INSPECTION DOCUMENT 13 Service ATA:34</b>								
PN:011-01997-00	MOS	11-May-23	24		31-May-25		636 d	14 CFR
SN:20S012751	HRS							
WC#: 34.430	AFL							
PROC. REF: AMM 34-57-00, FAR 91.413								PKG:13
<b>B345701 CALIBRATION CHECK RIGHT GTX 3000 MODE S TCAS II TRANSPONDER ATC SYSTEM: INSPECTION DOCUMENT 13 Service ATA:34</b>								
PN:011-01997-00	MOS	10-May-23	24		31-May-25		636 d	14 CFR
SN:20S012742	HRS							
WC#: 34.430	AFL							
PROC. REF: AMM 34-57-00, FAR 91.413								PKG:13
<b>ATA 35 - OXYGEN</b>								
<b>350002 RESTORATION (HYDROSTATIC TEST) OXYGEN BOTTLE Service ATA:35</b>								
PN:176276-50	MOS	09-Feb-21	60		28-Feb-26		909 d	HYDROSTATIC TEST
SN:1098919201	HRS							
WC#: 35.010	AFL							

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 35 - OXYGEN									
PROC. REF: AMM 35-00-00									
350006	OXYGEN BOTTLE							Component	ATA:35
PN:176276-50	MOS	01-Jan-20	180	TSN 0	31-Jan-35		4168 d	LIFE LIMIT	
SN:1098919201	HRS			TSN 0					
WC#: 35.010	AFL			TSN 0					
		Manufacture Date:: 01-Jan-20	PROC. REF: AMM 35-10-00						
351002	COPILOT OXYGEN MASK							Component	ATA:35
PN:174252-N6	MOS/MSC	01-Mar-21	O/C	TSN 0				OVERHAUL	
SN:48275	HRS			TSN 0					
WC#: 35.030	AFL			TSN 0					
			PROC. REF: AMM 35-10-05						
351002	PILOT OXYGEN MASK							Component	ATA:35
PN:9914771-1	MOS/MSC	13-May-22	O/C	TSO 0				OVERHAUL	
SN:22177	HRS	242.5		TSO 0					
WC#: 35.030	AFL	213		TSO 0					
			PROC. REF: AMM 35-10-05						
351008	OXYGEN 3 POSITION VALVE							Component	ATA:35
PN:P21007	MOS/MSC	17-May-21	O/C	TSN 0					
SN:R20120150	HRS	0		TSN 0					
WC#: 35.050	AFL	0		TSN 0					
			PROC. REF: GENERIC NO REF						
351010	OXYGEN PRESSURE TRANSDUCER							Component	ATA:35
PN:APT-389-1000-2400SG	MOS/MSC	17-May-21	O/C	TSN 0					
SN:8570-1-589	HRS	0		TSN 0					
	AFL	0		TSN 0					
			PROC. REF: AMM 35-10-00						
A351001 <sup>S</sup>	DETAILED INSPECTION CREW OXYGEN MASKS: INSPECTION DOCUMENT 10							Service	ATA:35
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 35.070	AFL	0							
			PROC. REF: AMM 35-10-05						

PKG:10

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 35 - OXYGEN</b>									
A352001 <sup>S</sup>	DETAILED INSPECTION PASSENGER OXYGEN MASKS AND PASSENGER MASKS DROPOUT BOXES: INSPECTION DOCUMENT 02							Service	ATA:35
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
WC#: 35.080	AFL	325							
	PROC. REF: AMM 35-20-00							PKG:2	
B350001 <sup>S</sup>	FUNCTIONAL CHECK OXYGEN SYSTEM: INSPECTION DOCUMENT 10							Service	ATA:35
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 35.060	AFL	0							
	PROC. REF: AMM 35-00-00							PKG:10	
<b>ATA 36 - PNEUMATIC</b>									
361001	LEFT TEMPERATURE SENSOR							Component	ATA:36
PN:27431501-10	MOS/MSC	17-May-21	O/C	TSN 0					
SN:2BV21	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
361001	RIGHT TEMPERATURE SENSOR							Component	ATA:36
PN:27431501-10	MOS/MSC	17-May-21	O/C	TSN 0					
SN:1BV6	HRS	0		TSN 0					
WC#: 36.010	AFL	0		TSN 0					
	PROC. REF: GENERIC NO REF								
361002	REPLACE LEFT B/A PRECOOLER ASSEMBLY							Component	ATA:36
PN:8161-2	MOS	17-May-21	108	TSN 0	31-May-30		2462 d	LIFE LIMIT	
SN:S4883T2552	HRS	0	3500	TSN 0	3500		3055.2		
WC#: 36.020	AFL	0		TSN 0					
	PROC. REF: AMM 36-10-00								
361002	REPLACE RIGHT B/A PRECOOLER ASSEMBLY							Component	ATA:36
PN:8161-2	MOS	17-May-21	108	TSN 0	31-May-30		2462 d	LIFE LIMIT	
SN:S4883T2550	HRS	0	3500	TSN 0	3500		3055.2		
WC#: 36.020	AFL	0		TSN 0					
	PROC. REF: AMM 36-10-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 36 - PNEUMATIC</b>									
<b>361003</b>		<b>PNEUMATIC REGULATOR</b>						<b>Component</b>	<b>ATA:36</b>
PN:1H75-25	MOS/MSC	17-May-21	O/C		TSN 0				
SN:1BV6	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>361004</b>		<b>LEFT PNEUMATIC SHUTOFF VALVE ASSY</b>						<b>Component</b>	<b>ATA:36</b>
PN:2601-21	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2213	HRS	0			TSN 0				
WC#: 36.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>361004</b>		<b>RIGHT PNEUMATIC SHUTOFF VALVE ASSY</b>						<b>Component</b>	<b>ATA:36</b>
PN:2601-21	MOS/MSC	17-May-21	O/C		TSN 0				
SN:2212	HRS	0			TSN 0				
WC#: 36.030	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>361007</b>		<b>LEFT OVER TEMP BLEED AIR SWITCH</b>						<b>Component</b>	<b>ATA:36</b>
PN:1173T181-2	MOS/MSC	17-May-21	O/C		TSN 0				
SN:8902	HRS	0			TSN 0				
WC#: 36.060	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>361007</b>		<b>RIGHT OVER TEMP BLEED AIR SWITCH</b>						<b>Component</b>	<b>ATA:36</b>
PN:1173T181-2	MOS/MSC	17-May-21	O/C		TSN 0				
SN:8933	HRS	0			TSN 0				
WC#: 36.060	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									
<b>361008</b>		<b>LEFT PRECOOLER DOOR VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:5060-00-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:6207	HRS	0			TSN 0				
WC#: 36.070	AFL	0			TSN 0				
PROC. REF: AMM 36-10-00									
<b>361008</b>		<b>RIGHT PRECOOLER DOOR VALVE</b>						<b>Component</b>	<b>ATA:36</b>
PN:5060-00-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:6204	HRS	0			TSN 0				
WC#: 36.070	AFL	0			TSN 0				
PROC. REF: AMM 36-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 36 - PNEUMATIC</b>									
<b>361010</b>	<b>LEFT CHECK VALVE</b>							<b>Component</b>	<b>ATA:36</b>
PN:1553-00-18	MOS/MSC	17-May-21	O/C		TSN 0				
SN:5184	HRS	0			TSN 0				
WC#: 36.090	AFL	0			TSN 0				
PROC. REF: AMM 36-10-00									
<b>361010</b>	<b>RIGHT CHECK VALVE</b>							<b>Component</b>	<b>ATA:36</b>
PN:1553-00-18	MOS/MSC	17-May-21	O/C		TSN 0				
SN:5186	HRS	0			TSN 0				
WC#: 36.090	AFL	0			TSN 0				
PROC. REF: AMM 36-10-00									
<b>361011</b>	<b>LEFT PRECOOLER ACTUATOR</b>							<b>Component</b>	<b>ATA:36</b>
PN:1H139-1	MOS/MSC	17-May-21	O/C		TSN 0				
SN:12BU65	HRS	0			TSN 0				
WC#: 36.100	AFL	0			TSN 0				
PROC. REF: AMM 36-10-00									
<b>361011</b>	<b>RIGHT PRECOOLER ACTUATOR</b>							<b>Component</b>	<b>ATA:36</b>
PN:1H139-2	MOS/MSC	17-May-21	O/C		TSN 0				
SN:12BU68	HRS	0			TSN 0				
WC#: 36.100	AFL	0			TSN 0				
PROC. REF: AMM 36-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 52 - DOORS</b>									
522004	PRESSURE SWITCH							Component	ATA:52
PN:P18M30	MOS/MSC	17-May-21	O/C	TSN 0					
SN:6521	HRS	0		TSN 0					
WC#: 52.040	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
A521003 <sup>S</sup>	VISUAL INSPECTION CABIN ENTRY DOOR SEALS: INSPECTION DOCUMENT 33							Service	ATA:52
	MOS	12-May-23	12 (+2m)						
	HRS	392.5	300 (+30)						
WC#: 52.070	AFL	325							
PROC. REF: AMM 52-10-00									
PKG:33									
A522001 <sup>S</sup>	INSPECT EMERGENCY ESCAPE HATCH AND FRAME: INSPECTION DOCUMENT MJ							Service	ATA:52
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:7200						
WC#: 52.055	AFL	0							
PROC. REF: AMM 52-20-00									
PKG:44									
C521001 <sup>S</sup>	LUBRICATE CABIN ENTRY DOOR: INSPECTION DOCUMENT 33							Service	ATA:52
	MOS	12-May-23	12 (+2m)						
	HRS	392.5	300 (+30)						
WC#: 52.050	AFL	325							
PROC. REF: AMM 52-10-00									
PKG:33									
C522001 <sup>S</sup>	LUBRICATION EMERGENCY EXIT DOOR - SEAL: INSPECTION DOCUMENT 10							Service	ATA:52
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
	AFL	0							
PROC. REF: AMM 52-20-00									
PKG:10									
<b>ATA 53 - FUSELAGE</b>									
531000	LEFT TRUNNION SUPPORT FITTING							Component	ATA:53
PN:5513056-7	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:86219-9	HRS	0		TSN 0					
WC#: 53.140	AFL	0	22500	TSN 0	22500		22131		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
531000	RIGHT TRUNNION SUPPORT FITTING							Component	ATA:53
PN:5513056-8	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:78947-9	HRS	0		TSN 0					
WC#: 53.140	AFL	0	22500	TSN 0	22500		22131		
PROC. REF: GENERIC NO REF									
531001	ACTUATOR SUPPORT FITTING							Component	ATA:53
PN:65111105-1	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29796336J	HRS	0		TSN 0					
WC#: 53.150	AFL	0	22500	TSN 0	22500		22131		
PROC. REF: GENERIC NO REF									
A530001 <sup>S</sup>	ZONAL INSPECTION NOSE SECTION: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 53.040	AFL	0							
PROC. REF: AMM 53-00-00									
A530003	ZONAL INSPECTION COCKPIT AND CABIN ABOVE AND BELOW FLOORBOARD: INSPECTION DOCUMENT 29							Service	ATA:53
	MOS	17-May-21							
	HRS	0	T:7200 (+30)		7200	7230	6755.2 (+30)		
WC#: 53.020	AFL	0							
PROC. REF: AMM 53-00-00									
A530005 <sup>S</sup>	ZONAL INSPECTION INTERNAL EMPENNAGE: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 53.070	AFL	0							
PROC. REF: AMM 53-00-00									
A530007 <sup>S</sup>	ZONAL INSPECTION COCKPIT AND CABIN BELOW FLOORBOARD: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 53.210	AFL	0							
PROC. REF: AMM 53-00-00									
A530009 <sup>S</sup>	ZONAL INSPECTION EXTERNAL FUSELAGE: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 53.220	AFL	0							
PROC. REF: AMM 53-00-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
A530011 <sup>S</sup>	DETAILED INSPECTION CREW SEAT TRACKS: INSPECTION DOCUMENT 10							Service	ATA:53
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 53.130	AFL	0							
	PROC. REF: AMM 53-00-00								PKG:10
A530013 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) NOSE LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 36							Service	ATA:53
	MOS	12-May-23	6 (+2m)						
	HRS	392.5							
	AFL	325							
	PROC. REF: AMM 53-00-00								PKG:36
A530015 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) NOSE LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 02							Service	ATA:53
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
	AFL	325							
	PROC. REF: AMM 53-00-00								PKG:2
A530017 <sup>S</sup>	INSPECTION FUSELAGE SKIN JOINT EDDY CURRENT: INSPECTION DOCUMENT 11							Service	ATA:53
	MOS	17-May-21	T:72 (+2m)						
	HRS	0	T:2400 (+30)						
WC#: 53.160	AFL	0							
	PROC. REF: AMM 53-00-00								PKG:11
A531001 <sup>S</sup>	CHECK NOSE RADOME ELECTRICAL BONDING: INSPECTION DOCUMENT 08							Service	ATA:53
	MOS	21-Oct-22	24 (+2m)						
	HRS	315.9	300 (+30)						
WC#: 53.200	AFL	272							
	PROC. REF: AMM 53-10-10								PKG:8
A531003 <sup>S</sup>	INSPECT FORWARD SIDE OF FORWARD PRESSURE BULKHEAD, STRINGERS AND BULKHEADS: INSPECTION DOCUMENT MI							Service	ATA:53
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:7200						
WC#: 53.170	AFL	0							
	PROC. REF: AMM 53-10-20								PKG:43
A531005 <sup>S</sup>	INSPECTION AFT PRESSURE BULKHEAD STRUCTURE (AFT SIDE) : INSPECTION DOCUMENT MM							Service	ATA:53
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:12000						
WC#: 53.050	AFL	0							
	PROC. REF: AMM 53-10-20								PKG:47

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 53 - FUSELAGE								
A531007 <sup>S</sup>	DETAILED INSPECTION FORWARD PRESSURE BULKHEAD RETAINING RING: INSPECTION DOCUMENT MI							Service ATA:53
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:7200					
WC#: 53.030	AFL	0						
					PROC. REF: AMM 53-10-20			PKG:43
A531009 <sup>S</sup>	DETAILED INSPECTION AFT PRESSURE BULKHEAD RETAINING RING: INSPECTION DOCUMENT MN							Service ATA:53
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:12000					
WC#: 53.110	AFL	0						
					PROC. REF: AMM 53-10-20			PKG:48
A531011 <sup>S</sup>	INSPECTION AFT PRESSURE BULKHEAD WEB(FORWARD SIDE) : INSPECTION DOCUMENT MM							Service ATA:53
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:12000					
WC#: 53.120	AFL	0						
					PROC. REF: AMM 53-10-20			PKG:47
A531013 <sup>S</sup>	DETAILED INSPECTION WINDSHIELD,SIDE,AND CABIN WINDOW FRAMES: INSPECTION DOCUMENT MJ							Service ATA:53
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:7200					
WC#: 53.080	AFL	0						
					PROC. REF: AMM 53-10-25			PKG:44
A531015 <sup>S</sup>	INSPECT CABIN DOOR FRAME: INSPECTION DOCUMENT MH							Service ATA:53
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:6000					
WC#: 53.090	AFL	0						
					PROC. REF: AMM 53-10-30			PKG:42
A531017 <sup>S</sup>	INSPECT EMERGENCY ESCAPE HATCH DOORFRAME: INSPECTION DOCUMENT MJ							Service ATA:53
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:7200					
WC#: 53.100	AFL	0						
					PROC. REF: AMM 53-10-30			PKG:44
A533001 <sup>S</sup>	INSPECTION FUSELAGE EXTERIOR SKIN: INSPECTION DOCUMENT MG							Service ATA:53
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:6000					
WC#: 53.180	AFL	0						
					PROC. REF: AMM 53-30-00			PKG:41

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 53 - FUSELAGE</b>									
A533003 <sup>S</sup>	INSPECTION CABIN LOWER SKIN LONGITUDINAL SPLICE: INSPECTION DOCUMENT MF							Service	ATA:53
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	6000						
WC#: 53.190	AFL	0							
						PROC. REF: AMM 53-30-00		PKG:40	
<b>ATA 54 - NACELLES/PYLONS</b>									
A540001 <sup>S</sup>	ZONAL INSPECTION NACELLES AND PYLONS: INSPECTION DOCUMENT 10							Service	ATA:54
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 54.030	AFL	0							
						PROC. REF: AMM 54-00-00		PKG:10	
<b>ATA 55 - STABILIZERS</b>									
551010	EXAMINE HORIZONTAL STABILIZER FRONT UPPER SPAR CAP AT SS 4.78							Service	ATA:55
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:14000		14000		13555.2		
WC#: 55.040	AFL	0							
						PROC. REF: AMM 55-10-00			
A551001 <sup>S</sup>	DETAILED INSPECTION HORIZONTAL STABILIZER: INSPECTION DOCUMENT 10							Service	ATA:55
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 55.030	AFL	0							
						PROC. REF: AMM 55-10-00		PKG:10	
A551003 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) HORIZONTAL STABILIZER AFT SPAR AREA: INSPECTION DOCUMENT 36							Service	ATA:55
	MOS	12-May-23	6 (+2m)						
	HRS	392.5							
	AFL	325							
						PROC. REF: AMM 55-10-00		PKG:36	
A551005 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) HORIZONTAL STABILIZER AFT SPAR AREA: INSPECTION DOCUMENT 02							Service	ATA:55
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
	AFL	325							
						PROC. REF: AMM 55-10-00		PKG:2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 55 - STABILIZERS</b>								
A551006 <sup>S</sup>	HORIZONTAL STABILIZER FRONT UPPER SPAR CAP AT SS4.78 DOCUMENT MQ							Service ATA:55
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:14000					
	AFL	0						
					PROC. REF: AMM 55-10-00			PKG:51
A553001 <sup>S</sup>	INSPECTION VERTICAL STABILIZER FORWARD SPAR ATTACH BOLT HOLE: INSPECTION DOCUMENT MK							Service ATA:55
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:7900					
WC#: 55.020	AFL	0						
					PROC. REF: AMM 55-30-05			PKG:45
A553003 <sup>S</sup>	DETAILED INSPECTION VERTICAL STABILIZER: INSPECTION DOCUMENT 10							Service ATA:55
	MOS	17-May-21	36 (+2m)					
	HRS	0	1200 (+30)					
WC#: 55.010	AFL	0						
					PROC. REF: AMM 55-30-05			PKG:10
A553005 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) VERTICAL STABILIZER AFT SPAR ASSEMBLY: INSPECTION DOCUMENT 36							Service ATA:55
	MOS	12-May-23	6 (+2m)					
	HRS	392.5						
	AFL	325						
					PROC. REF: AMM 55-30-05			PKG:36
A553007 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) VERTICAL STABILIZER AFT SPAR ASSEMBLY: INSPECTION DOCUMENT 02							Service ATA:55
	MOS	12-May-23	12 (+2m)					
	HRS	392.5						
	AFL	325						
					PROC. REF: AMM 55-30-05			PKG:2
A553009 <sup>S</sup>	INSPECTION VERTICAL STABILIZER AFT SPAR ATTACH BOLT HOLE: INSPECTION DOCUMENT MO							Service ATA:55
	MOS	17-May-21						AIRWORTHINESS
	HRS	0	T:15200					
WC#: 55.020	AFL	0						
					PROC. REF: AMM 55-30-05			PKG:49
<b>ATA 56 - WINDOWS</b>								
561001	LEFT WINDSHIELD ASSY, (LH)							Component ATA:56
PN:93200-15	MOS/MSC	17-May-21	O/C		TSN 0			
SN:10401	HRS	0			TSN 0			
WC#: 56.010	AFL	0			TSN 0			
					PROC. REF: AMM 56-10-00			

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
561001	RIGHT WINDSHIELD ASSY, (LH)							Component	ATA:56
PN:93200-16	MOS/MSC	17-May-21	O/C	TSN 0					
SN:10366	HRS	0		TSN 0					
WC#: 56.010	AFL	0		TSN 0					
PROC. REF: AMM 56-10-00									
561002	L1 CABIN DOOR WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13076	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	L2 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13080	HRS	0		TSN 0					
WC#: 56.020	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	L3 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13125	HRS	0		TSN 0					
WC#: 56.030	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	R1 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13085	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	R2 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13075	HRS	0		TSN 0					
WC#: 56.040	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561002	R3 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13126	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 56 - WINDOWS</b>									
561002	R4 CABIN WINDOW							Component	ATA:56
PN:6311123-11-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:13127	HRS	0		TSN 0					
WC#: 56.050	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561003	PILOT SIDE WINDOW							Component	ATA:56
PN:6311263-1	MOS/MSC	17-May-21	O/C	TSN 0					
SN:10206	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
561004	COPILOT SIDE WINDOW							Component	ATA:56
PN:6311263-2	MOS/MSC	17-May-21	O/C	TSN 0					
SN:10206	HRS	0		TSN 0					
WC#: 56.060	AFL	0		TSN 0					
PROC. REF: AMM 56-20-00									
A561001 <sup>S</sup>	INSPECTION WINDOW OPTICAL PRISM: INSPECTION DOCUMENT 11							Service	ATA:56
	MOS	17-May-21		T:72 (+2m)					
	HRS	0		T:2400 (+30)					
WC#: 56.070	AFL	0							
PROC. REF: AMM 56-10-00									
A561003 <sup>S</sup>	INSPECTION LEFT COCKPIT SIDE WINDOW OPTICAL PRISM: INSPECTION DOCUMENT MA							Service	ATA:56
	MOS	21-Oct-22						AIRWORTHINESS	
	HRS	315.9	300						
WC#: 56.080	AFL	272							
PROC. REF: AMM 56-10-00									
A561003 <sup>S</sup>	INSPECTION RIGHT COCKPIT SIDE WINDOW OPTICAL PRISM: INSPECTION DOCUMENT MA							Service	ATA:56
	MOS	21-Oct-22						AIRWORTHINESS	
	HRS	315.9	300						
WC#: 56.080	AFL	272							
PROC. REF: AMM 56-10-00									
<b>ATA 57 - WINGS</b>									
571000	LEFT AFT TRUNNION ATTACH FITTING							Component	ATA:57
PN:6322070-21	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29904104M	HRS	0		TSN 0					
WC#: 57.060	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
571000	RIGHT AFT TRUNNION ATTACH FITTING							Component	ATA:57
PN:6322070-20	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29873120M	HRS	0		TSN 0					
WC#: 57.060	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: GENERIC NO REF									
571001	LEFT FORWARD TRUNNION ATTACH FITTING							Component	ATA:57
PN:6322060-19	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29735382	HRS	0		TSN 0					
WC#: 57.070	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: GENERIC NO REF									
571001	RIGHT FORWARD TRUNNION ATTACH FITTING							Component	ATA:57
PN:6322060-20	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29835954F	HRS	0		TSN 0					
WC#: 57.070	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: GENERIC NO REF									
571002	LEFT SIDE BRACE FITTING							Component	ATA:57
PN:6322080-25	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29948454C	HRS	0		TSN 0					
WC#: 57.080	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: GENERIC NO REF									
571002	RIGHT SIDE BRACE FITTING							Component	ATA:57
PN:6322080-24	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:29796027J	HRS	0		TSN 0					
WC#: 57.080	AFL	0	21100	TSN 0	21100		20731		
PROC. REF: GENERIC NO REF									
571010	EXAMINE LOWER MAIN SPAR SPLICE AT WS 93.00							Service	ATA:57
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:13200		13200		12755.2		
WC#: 57.020	AFL	0							
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 57 - WINGS									
571015	EXAMINE LOWER REAR SPAR SPLICE AT WS 93.00							Service	ATA:57
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:15600		15600		15155.2		
WC#: 57.030	AFL	0							
PROC. REF: GENERIC NO REF									
571020	EXAMINE MAIN SPAR CARRY-THROUGH LOWER CAP (RWS 42.0 TO LWS 42.0)							Service	ATA:57
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:15000		15000		14555.2		
WC#: 57.040	AFL	0							
PROC. REF: GENERIC NO REF									
571025	EXAMINE REAR SPAR CARRY-THROUGH LOWER CAP (RWS 42.0 TO LWS 42.0)							Service	ATA:57
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:15000		15000		14555.2		
WC#: 57.050	AFL	0							
PROC. REF: GENERIC NO REF									
571030	EXAMINE MAIN SPAR OUTBOARD LOWER CAP (WS 120.0 TO WS 152.00)							Service	ATA:57
	MOS	17-May-21						AIRWORTHINESS	
	HRS	0	T:15000		15000		14555.2		
WC#: 57.100	AFL	0							
PROC. REF: GENERIC NO REF									
A570001 <sup>S</sup>	INSPECT EXTERNAL WING ZONAL : INSPECTION DOCUMENT 10							Service	ATA:57
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 57.010	AFL	0							
PROC. REF: AMM 57-00-00									
PKG:10									
A570003 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) MAIN LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 36							Service	ATA:57
	MOS	12-May-23	6 (+2m)						
	HRS	392.5							
	AFL	325							
PROC. REF: AMM 57-00-00									
PKG:36									
A570005 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) MAIN LANDING GEAR WHEEL WELL: INSPECTION DOCUMENT 02							Service	ATA:57
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
	AFL	325							
PROC. REF: AMM 57-00-00									
PKG:2									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 57 - WINGS</b>									
A570007 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) AFT WING SPAR AREA: INSPECTION DOCUMENT 36							Service	ATA:57
	MOS	12-May-23	6 (+2m)						
	HRS	392.5							
	AFL	325							
					PROC. REF: AMM 57-00-00			PKG:36	
A570009 <sup>S</sup>	GENERAL VISUAL INSPECTION (CORROSION INSPECT) AFT WING SPAR AREA: INSPECTION DOCUMENT 02							Service	ATA:57
	MOS	12-May-23	12 (+2m)						
	HRS	392.5							
	AFL	325							
					PROC. REF: AMM 57-00-00			PKG:2	
<b>ATA 70 - STANDARD PRACTICES - ENGINES</b>									
700010 <sup>S</sup>	NO. 1 ENGINE - VISUALLY CHECK INSTALLED ELECTRICAL COMPONENT BONDING SURFACES AND HARNESS CONNECTORS, IDENTIFIED IN COMPONENT BONDING REQUIREMENTS TABLE, TO MAKE SURE THAT THERE ARE NO VISIBLE SIGNS OF CORROSION. IF CORROSION IS PRESENT, CLEAN SURFACES							Service	ATA:70
	MOS	17-May-21							
	HRS	0	600 (+30)						
	ENC	0							
					PROC. REF: LMM 70-03-01-801A-300A-A			PKG:2	
700010 <sup>S</sup>	NO. 2 ENGINE - VISUALLY CHECK INSTALLED ELECTRICAL COMPONENT BONDING SURFACES AND HARNESS CONNECTORS, IDENTIFIED IN COMPONENT BONDING REQUIREMENTS TABLE, TO MAKE SURE THAT THERE ARE NO VISIBLE SIGNS OF CORROSION. IF CORROSION IS PRESENT, CLEAN SURFACES							Service	ATA:70
	MOS	17-May-21							
	HRS	0	600 (+30)						
	ENC	0							
					PROC. REF: LMM 70-03-01-801A-300A-A			PKG:2	
<b>ATA 71 - POWER PLANT</b>									
710000	NO. 1 ENGINE - WATER RINSE							Service	ATA:71
	MOS/MSC	17-May-21	ALF						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 71-00-03-801A-258A-A				
710000	NO. 2 ENGINE - WATER RINSE							Service	ATA:71
	MOS/MSC	17-May-21	ALF						
	HRS	0							
	ENC	0							
					PROC. REF: LMM 71-00-03-801A-258A-A				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
710010 <sup>S</sup>	NO. 1 ENGINE - INTERROGATE FADEC FOR FAULTS USING EMT							Service	ATA:71
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
	PROC. REF: LMM 71-00-00-801B-421A-A							PKG:1,2	
710010 <sup>S</sup>	NO. 2 ENGINE - INTERROGATE FADEC FOR FAULTS USING EMT							Service	ATA:71
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
	PROC. REF: LMM 71-00-00-801B-421A-A							PKG:1,2	
710015	NO. 1 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	17-May-21	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 71-00-03-803A-258A-A								
710015	NO. 2 ENGINE - COMPRESSOR CLEANING							Service	ATA:71
	MOS/MSC	17-May-21	A/R						
	HRS	0							
	ENC	0							
	PROC. REF: LMM 71-00-03-803A-258A-A								
712001	LEFT ENGINE AFT ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA4	MOS	17-May-21		TSN 0				OVERHAUL	
SN:LK4556	HRS	0	3500	TSN 0	3500		3055.2		
WC#: 71.010	AFL	0		TSN 0					
	PROC. REF: AMM 71-20-00								
712001	LEFT ENGINE FORWARD BOTTOM ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA5	MOS	17-May-21		TSN 0				OVERHAUL	
SN:6325	HRS	0	3500	TSN 0	3500		3055.2		
WC#: 71.020	AFL	0		TSN 0					
	PROC. REF: AMM 71-20-00								
712001	LEFT ENGINE FORWARD TOP ISOLATOR MOUNT							Component	ATA:71
PN:LM601SA5	MOS	17-May-21		TSN 0				OVERHAUL	
SN:6323	HRS	0	3500	TSN 0	3500		3055.2		
WC#: 71.020	AFL	0		TSN 0					
	PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 71 - POWER PLANT</b>									
<b>712001</b>		<b>RIGHT ENGINE AFT ISOLATOR MOUNT</b>						<b>Component</b>	<b>ATA:71</b>
PN:LM601SA4	MOS	17-May-21		TSN 0				OVERHAUL	
SN:LK4558	HRS	0	3500	TSN 0	3500		3055.2		
WC#: 71.010	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
<b>712001</b>		<b>RIGHT ENGINE FORWARD BOTTOM ISOLATOR MOUNT</b>						<b>Component</b>	<b>ATA:71</b>
PN:LM601SA5	MOS	17-May-21		TSN 0				OVERHAUL	
SN:6324	HRS	0	3500	TSN 0	3500		3055.2		
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
<b>712001</b>		<b>RIGHT ENGINE FORWARD TOP ISOLATOR MOUNT</b>						<b>Component</b>	<b>ATA:71</b>
PN:LM601SA5	MOS	17-May-21		TSN 0				OVERHAUL	
SN:6322	HRS	0	3500	TSN 0	3500		3055.2		
WC#: 71.030	AFL	0		TSN 0					
PROC. REF: AMM 71-20-00									
<b>716000</b>		<b>LH TEMPERATURE SWITCH</b>						<b>Component</b>	<b>ATA:71</b>
PN:1173T0759	MOS/MSC	17-May-21	O/C	TSN 0					
SN:8881	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>716000</b>		<b>RH TEMPERATURE SWITCH</b>						<b>Component</b>	<b>ATA:71</b>
PN:1173T0759	MOS/MSC	17-May-21	O/C	TSN 0					
SN:8867	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>71EN1</b>		<b>NO. 1 ENGINE</b>						<b>Component</b>	<b>ATA:71</b>
PN:72100-201	MOS/MSC		E/C						
SN:290565	HRS								
WC#: 71.EN1	AFL								
PROC. REF: AMM 71-00-05									
<b>71EN2</b>		<b>NO. 2 ENGINE</b>						<b>Component</b>	<b>ATA:71</b>
PN:72100-201	MOS/MSC		E/C						
SN:290566	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-05									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
720007	NO. 1 ENGINE - 1ST LP TURBINE NOZZLE							Component	ATA:72
PN:126873	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50372	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720007	NO. 2 ENGINE - 1ST LP TURBINE NOZZLE							Component	ATA:72
PN:126873	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50422	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720010	NO. 1 ENGINE - BALL, DEEP GROOVE - 103 BEARING							Component	ATA:72
PN:78321	MOS/MSC	17-May-21	O/C	TSN 0					
SN:JT-159145	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720010	NO. 2 ENGINE - BALL, DEEP GROOVE - 103 BEARING							Component	ATA:72
PN:78321	MOS/MSC	17-May-21	O/C	TSN 0					
SN:JT-159056	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720015	NO. 1 ENGINE - BEARING, ROLLER - OUTER GDR ASSEMBLY							Component	ATA:72
PN:78301	MOS/MSC	17-May-21	O/C	TSN 0					
SN:JT-161601	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720015	NO. 2 ENGINE - BEARING, ROLLER - OUTER GDR ASSEMBLY							Component	ATA:72
PN:78301	MOS/MSC	17-May-21	O/C	TSN 0					
SN:JT-156469	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720025	NO. 1 ENGINE - BRG, 1ST RDCN RVL GEAR SUPPORT							Component	ATA:72
PN:221987	MOS/MSC	17-May-21	O/C	TSN 0					
SN:23842	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
720025	NO. 2 ENGINE - BRG, 1ST RDCN RVL GEAR SUPPORT							Component	ATA:72
PN:221987	MOS/MSC	17-May-21	O/C		TSN 0				
SN:23834	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720030	NO. 1 ENGINE - COMBUSTOR ASSEMBLY							Component	ATA:72
PN:119448	MOS/MSC	17-May-21	O/C		TSN 0				
SN:50171	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720030	NO. 2 ENGINE - COMBUSTOR ASSEMBLY							Component	ATA:72
PN:119448	MOS/MSC	17-May-21	O/C		TSN 0				
SN:50192	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720035	NO. 1 ENGINE - DAMPED 1ST RDCN BEVEL GEAR							Component	ATA:72
PN:50349	MOS/MSC	17-May-21	O/C		TSN 0				
SN:BG6613	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720035	NO. 2 ENGINE - DAMPED 1ST RDCN BEVEL GEAR							Component	ATA:72
PN:50349	MOS/MSC	17-May-21	O/C		TSN 0				
SN:BG6612	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720040	NO. 1 ENGINE - HP SHAFT SEAL, FRONT RUNNER							Component	ATA:72
PN:123497	MOS/MSC	17-May-21	O/C		TSN 0				
SN:SBC-977C2	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720040	NO. 2 ENGINE - HP SHAFT SEAL, FRONT RUNNER							Component	ATA:72
PN:123497	MOS/MSC	17-May-21	O/C		TSN 0				
SN:SBC-976C8	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
720045	NO. 1 ENGINE - LP TURBINE MODULE ASSY KIT							Component	ATA:72
PN:111748	MOS/MSC	17-May-21	O/C	TSN 0					
SN:45499	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-55-801A-500A-A, LMM 72-00-55-801A-700A-A									
720045	NO. 2 ENGINE - LP TURBINE MODULE ASSY KIT							Component	ATA:72
PN:111748	MOS/MSC	17-May-21	O/C	TSN 0					
SN:45513	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-55-801A-500A-A, LMM 72-00-55-801A-700A-A									
720050	NO. 1 ENGINE - OIL TANK COVER							Component	ATA:72
PN:54879	MOS/MSC	17-May-21	O/C	TSN 0					
SN:23287	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720050	NO. 2 ENGINE - OIL TANK COVER							Component	ATA:72
PN:54879	MOS/MSC	17-May-21	O/C	TSN 0					
SN:23284	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720055	NO. 1 ENGINE - REAR, FUEL SLINGER,SEAL ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50154	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720055	NO. 2 ENGINE - REAR, FUEL SLINGER,SEAL ASSEMBLY							Component	ATA:72
PN:57882	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50155	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720060	NO. 1 ENGINE - ACCESSORY DRIVE SHAFT							Component	ATA:72
PN:220690	MOS/MSC	17-May-21	O/C	TSN 0					
SN:ABK1796	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A, LMM 72-00-60-801A-700A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
720060	NO. 2 ENGINE - ACCESSORY DRIVE SHAFT							Component	ATA:72
PN:220690	MOS/MSC	17-May-21	O/C		TSN 0				
SN:ABK1767	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 72-00-60-801A-500A-A, LMM 72-00-60-801A-700A-A									
720065	NO. 1 ENGINE - RETAINER, AXIAL CPRSR NUT							Component	ATA:72
PN:45785	MOS/MSC	17-May-21	O/C		TSN 0				
SN:21273	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720065	NO. 2 ENGINE - RETAINER, AXIAL CPRSR NUT							Component	ATA:72
PN:45785	MOS/MSC	17-May-21	O/C		TSN 0				
SN:21280	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720070	NO. 1 ENGINE - NO. 1 RING SEAL ASSEMBLY							Component	ATA:72
PN:45075	MOS/MSC	17-May-21	O/C		TSN 0				
SN:SBC-867C7	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720070	NO. 2 ENGINE - NO. 1 RING SEAL ASSEMBLY							Component	ATA:72
PN:45075	MOS/MSC	17-May-21	O/C		TSN 0				
SN:SBC-883C3	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720075	NO. 1 ENGINE - NO. 2 RING SEAL ASSEMBLY							Component	ATA:72
PN:45075	MOS/MSC	17-May-21	O/C		TSN 0				
SN:SBC-878C4	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720075	NO. 2 ENGINE - NO. 2 RING SEAL ASSEMBLY							Component	ATA:72
PN:45075	MOS/MSC	17-May-21	O/C		TSN 0				
SN:SBC-887C4	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
720080	NO. 1 ENGINE - NO. 3 RING SEAL ASSEMBLY							Component	ATA:72
PN:64771	MOS/MSC	17-May-21	O/C		TSN 0				
SN:SBC-659C7	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720080	NO. 2 ENGINE - NO. 3 RING SEAL ASSEMBLY							Component	ATA:72
PN:64771	MOS/MSC	17-May-21	O/C		TSN 0				
SN:SBC-664C9	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720085	NO. 1 ENGINE - ROLLER, CYL - OD FLANGE BEARING							Component	ATA:72
PN:78302	MOS/MSC	17-May-21	O/C		TSN 0				
SN:JT-160951	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720085	NO. 2 ENGINE - ROLLER, CYL - OD FLANGE BEARING							Component	ATA:72
PN:78302	MOS/MSC	17-May-21	O/C		TSN 0				
SN:JT-160958	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720090	NO. 1 ENGINE - ROLLER, INNER GUIDED BEARING							Component	ATA:72
PN:79027	MOS/MSC	17-May-21	O/C		TSN 0				
SN:JT-159296	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720090	NO. 2 ENGINE - ROLLER, INNER GUIDED BEARING							Component	ATA:72
PN:79027	MOS/MSC	17-May-21	O/C		TSN 0				
SN:JT-159312	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
720095	NO. 1 ENGINE - STATOR, IP COMPRESSOR VANE							Component	ATA:72
PN:115576	MOS/MSC	17-May-21	O/C		TSN 0				
SN:50172	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
720095	NO. 2 ENGINE - STATOR, IP COMPRESSOR VANE							Component	ATA:72
PN:115576	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50152	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720100	NO. 1 ENGINE - VANE, FAN STATOR ASSEMBLY							Component	ATA:72
PN:223873	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50032	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
720100	NO. 2 ENGINE - VANE, FAN STATOR ASSEMBLY							Component	ATA:72
PN:223873	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50035	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723001	NO. 1 ENGINE - FAN ROTOR							Component	ATA:72
PN:117810	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW55149	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		9631		
PROC. REF: LMM 72-00-31-801A-500A-A, LMM 72-00-31-801A-700A-A									
723001	NO. 2 ENGINE - FAN ROTOR							Component	ATA:72
PN:117810	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW59185	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		9631		
PROC. REF: LMM 72-00-31-801A-500A-A, LMM 72-00-31-801A-700A-A									
723003 <sup>S</sup>	NO. 1 ENGINE - CLEAN FAN ROTOR AND PHYSICALLY INSPECT FOR DEFECTS (FEEL WITH FINGERS)							Service	ATA:72
PN:117810	MOS	17-May-21							
SN:HW55149	HRS	0	600 (+30)						
	ENC	0							
PROC. REF: LMM 72-31-20-801A-310A-A									

PKG:2

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723003 <sup>S</sup>	NO. 2 ENGINE - CLEAN FAN ROTOR AND PHYSICALLY INSPECT FOR DEFECTS (FEEL WITH FINGERS)							Service	ATA:72
PN:117810	MOS	17-May-21							
SN:HW59185	HRS	0	600 (+30)						
	ENC	0							
PROC. REF: LMM 72-31-20-801A-310A-A								PKG:2	
723010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:122723	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW60005	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		7631		
PROC. REF: GENERIC NO REF									
723010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:122723	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW60004	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		7631		
PROC. REF: GENERIC NO REF									
723015	NO. 1 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:66032	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW59984	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		9631		
PROC. REF: LMM 72-00-34-801A-500A-A, LMM 72-00-34-801A-700A-A									
723015	NO. 2 ENGINE - IP COMPRESSOR ROTOR							Component	ATA:72
PN:66032	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW59976	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		9631		
PROC. REF: LMM 72-00-34-801A-500A-A, LMM 72-00-34-801A-700A-A									
723021 <sup>S</sup>	NO. 1 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS	17-May-21							
	HRS	0	600 (+30)						
	ENC	0							
PROC. REF: LMM 72-30-10-801A-310A-A								PKG:2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
723021 <sup>S</sup>	NO. 2 ENGINE - VISUALLY INSPECT THE INSTALLED SPINNER							Service	ATA:72
	MOS		17-May-21						
	HRS	0	600 (+30)						
	ENC	0							
	PROC. REF: LMM 72-30-10-801A-310A-A								PKG:2
723022	NO. 1 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:123872	MOS/MSC		17-May-21	O/C	TSN 0				
SN:50197	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
723022	NO. 2 ENGINE - DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:123872	MOS/MSC		17-May-21	O/C	TSN 0				
SN:50183	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
723061	NO. 1 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:118924	MOS/MSC		17-May-21	O/C	TSN 0				
SN:RX19RT3990	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
723061	NO. 2 ENGINE - HIGH PRESSURE SHAFT							Component	ATA:72
PN:118924	MOS/MSC		17-May-21	O/C	TSN 0				
SN:RX19RT4177	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
723092	NO. 1 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:121728	MOS/MSC		17-May-21	O/C	TSN 0				
SN:RX19NG1032	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
723092	NO. 2 ENGINE - COMPLETE LP SHAFT ASSEMBLY							Component	ATA:72
PN:121728	MOS/MSC		17-May-21	O/C	TSN 0				
SN:RX19NG1035	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723149	NO. 1 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:72
PN:69885	MOS/MSC	17-May-21	O/C	TSN 0					
SN:23048	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723149	NO. 2 ENGINE - HP COMPRESSOR COVER ASSY							Component	ATA:72
PN:69885	MOS/MSC	17-May-21	O/C	TSN 0					
SN:23064	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723205	NO. 1 ENGINE - CASE AND INSERT ASSEMBLY							Component	ATA:72
PN:78267	MOS/MSC	17-May-21	O/C	TSN 0					
SN:4367	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-32-802A-500A-A, LMM 72-00-32-802A-700A-A									
723205	NO. 2 ENGINE - CASE AND INSERT ASSEMBLY							Component	ATA:72
PN:78267	MOS/MSC	17-May-21	O/C	TSN 0					
SN:4369	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-32-802A-500A-A, LMM 72-00-32-802A-700A-A									
723505	NO. 1 ENGINE - BEARING, SPLIT INNER-014 BALL							Component	ATA:72
PN:72107	MOS/MSC	17-May-21	O/C	TSN 0					
SN:JT-166412	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723505	NO. 2 ENGINE - BEARING, SPLIT INNER-014 BALL							Component	ATA:72
PN:72107	MOS/MSC	17-May-21	O/C	TSN 0					
SN:JT-166387	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723510	NO. 1 ENGINE - FRONT BRG HSG, BRG LP SHFT ASSEMBLY							Component	ATA:72
PN:50242	MOS/MSC	17-May-21	O/C	TSN 0					
SN:FL2317	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723510	NO. 2 ENGINE - FRONT BRG HSG, BRG LP SHFT ASSEMBLY							Component	ATA:72
PN:50242	MOS/MSC	17-May-21	O/C	TSN 0					
SN:FL2326	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723515	NO. 1 ENGINE - CARBON RING SEAL & BRG RETNR HOUSING							Component	ATA:72
PN:76881	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50406	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723515	NO. 2 ENGINE - CARBON RING SEAL & BRG RETNR HOUSING							Component	ATA:72
PN:76881	MOS/MSC	17-May-21	O/C	TSN 0					
SN:50405	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723520	NO. 1 ENGINE - NO. 1 FACE,CARBON SEAL ASSEMBLY							Component	ATA:72
PN:57657	MOS/MSC	17-May-21	O/C	TSN 0					
SN:SBC-383C8	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723520	NO. 2 ENGINE - NO. 1 FACE,CARBON SEAL ASSEMBLY							Component	ATA:72
PN:57657	MOS/MSC	17-May-21	O/C	TSN 0					
SN:SBC-396C3	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723525	NO. 1 ENGINE - NO. 2 FACE,CARBON SEAL ASSEMBLY							Component	ATA:72
PN:68937	MOS/MSC	17-May-21	O/C	TSN 0					
SN:SBC-938C0	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723525	NO. 2 ENGINE - NO. 2 FACE,CARBON SEAL ASSEMBLY							Component	ATA:72
PN:68937	MOS/MSC	17-May-21	O/C	TSN 0					
SN:SBC-940C4	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
723530	NO. 1 ENGINE - RUNNER, LP SHAFT, FRONT SEAL							Component	ATA:72
PN:79855	MOS/MSC	17-May-21	O/C	TSN 0					
SN:SBC-434C5	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723530	NO. 2 ENGINE - RUNNER, LP SHAFT, FRONT SEAL							Component	ATA:72
PN:79855	MOS/MSC	17-May-21	O/C	TSN 0					
SN:SBC-436C0	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723725	NO. 1 ENGINE - BEARING AND PINION ASSEMBLY							Component	ATA:72
PN:125105	MOS/MSC	17-May-21	O/C	TSN 0					
SN:21091	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
723725	NO. 2 ENGINE - BEARING AND PINION ASSEMBLY							Component	ATA:72
PN:125105	MOS/MSC	17-May-21	O/C	TSN 0					
SN:21071	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 1 ENGINE - HP TURBINE ROTOR ASSEMBLY							Component	ATA:72
PN:111386	MOS/MSC	17-May-21	O/C	TSN 0					
SN:HW56755	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724035	NO. 2 ENGINE - HP TURBINE ROTOR ASSEMBLY							Component	ATA:72
PN:111386	MOS/MSC	17-May-21	O/C	TSN 0					
SN:HW56734	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
724045	NO. 1 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:115471	MOS/MSC	17-May-21	O/C	TSN 0					
SN:201931	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
724045	NO. 2 ENGINE - SEAL AND FUEL SLINGER ASSEMBLY							Component	ATA:72
PN:115471	MOS/MSC	17-May-21	O/C	TSN 0					
SN:201935	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:73853	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW56755	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		7631		
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - HP TURBINE DISK							Component	ATA:72
PN:73853	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW56734	HRS	0		TSN 0					
	ENC	0	8000	TSN 0	(8000) 8000		7631		
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72704	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW58835	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		9631		
PROC. REF: GENERIC NO REF									
725020	NO. 2 ENGINE - 1ST LP TURBINE DISK							Component	ATA:72
PN:72704	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW58799	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		9631		
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW59572	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		9631		
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 72 - ENGINE</b>									
725030	NO. 2 ENGINE - 2ND LP TURBINE DISK							Component	ATA:72
PN:66993	MOS	17-May-21		TSN 0				LIFE LIMIT	
SN:HW56370	HRS	0		TSN 0					
	ENC	0	10000	TSN 0	(10000) 10000		9631		
PROC. REF: GENERIC NO REF									
726011	NO. 1 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:120746	MOS/MSC	17-May-21	O/C	TSN 0					
SN:22131	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A, LMM 72-00-60-801A-700A-A									
726011	NO. 2 ENGINE - ACCESSORY DRIVE GEARBOX ASSEMBLY							Component	ATA:72
PN:120746	MOS/MSC	17-May-21	O/C	TSN 0					
SN:22133	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 72-00-60-801A-500A-A, LMM 72-00-60-801A-700A-A									
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
730001	LEFT ENGINE FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	17-May-21	O/C	TSN 0					
SN:12392	HRS	0		TSN 0					
WC#: 73.010	AFL	0		TSN 0					
PROC. REF: AMM 73-30-05									
730001	NO. 1 ENGINE - FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	17-May-21	O/C	TSN 0					
SN:12392	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
730001	NO. 2 ENGINE - FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	17-May-21	O/C	TSN 0					
SN:12365	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
730001	RIGHT ENGINE FUEL PRESSURE SWITCH							Component	ATA:73
PN:1103P0448	MOS/MSC	17-May-21	O/C		TSN 0				
SN:12365	HRS	0			TSN 0				
WC#: 73.010	AFL	0			TSN 0				
PROC. REF: AMM 73-30-05									
730002	NO. 1 ENGINE - FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:50817	MOS/MSC	17-May-21	O/C		TSN 0				
SN:BCC-00009234	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A									
730002	NO. 2 ENGINE - FUEL NOZZLE ASSEMBLY							Component	ATA:73
PN:50817	MOS/MSC	17-May-21	O/C		TSN 0				
SN:BCC-00009251	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-12-01-801A-520A-A, LMM 73-12-01-801A-720A-A									
731010 <sup>S</sup>	NO. 1 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 73-12-01-801A-310A-A									
731010 <sup>S</sup>	NO. 2 ENGINE - VISUALLY INSPECT AND CLEAN FUEL START NOZZLE AND START NOZZLE ADAPTER							Service	ATA:73
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 73-12-01-801A-310A-A									
731015 <sup>S</sup>	NO. 1 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 73-12-01-801A-363A-A									
731015 <sup>S</sup>	NO. 2 ENGINE - CHECK FUEL START NOZZLE SPRAY PATTERN							Service	ATA:73
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 73-12-01-801A-363A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
731025 <sup>S</sup>	NO. 1 ENGINE - CHANGE FUEL PUMP FILTER							Service	ATA:73
	MOS		17-May-21						
	HRS	0	600 (+30)						
	ENC	0							
	PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A							PKG:2	
731025 <sup>S</sup>	NO. 2 ENGINE - CHANGE FUEL PUMP FILTER							Service	ATA:73
	MOS		17-May-21						
	HRS	0	600 (+30)						
	ENC	0							
	PROC. REF: LMM 73-14-01-803A-520A-A, LMM 73-14-01-803A-720A-A							PKG:2	
731040	NO. 1 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:121784	MOS/MSC		17-May-21	O/C	TSN 0				
SN:23266	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
731040	NO. 2 ENGINE - FUEL MANIFOLD ASSEMBLY							Component	ATA:73
PN:121784	MOS/MSC		17-May-21	O/C	TSN 0				
SN:23274	HRS	0			TSN 0				
	ENC	0			TSN 0				
	PROC. REF: GENERIC NO REF								
732001	NO. 1 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:231111	MOS		08-Jun-22					OVERHAUL	
SN:70006220502	HRS	259.6	5000 (+100)	TSN 159	(5100.6) 5100.6	5200.6	4655.8 (+100)		
	ENC	223		TSN 86					
	PROC. REF: LMM 73-19-02-801A-520A-A, LMM 73-19-02-801A-720A-A								
732001	NO. 2 ENGINE - FUEL CONTROL UNIT							Component	ATA:73
PN:231111	MOS		10-Aug-22					OVERHAUL	
SN:70189	HRS	287.3	5000 (+100)	TSN 0	(5287.3) 5287.3	5387.3	4842.5 (+100)		
	ENC	244		TSN 0					
	PROC. REF: LMM 73-19-02-801A-520A-A, LMM 73-19-02-801A-720A-A								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
732301	NO. 1 ENGINE - ELEC FUEL FILTER INDICATOR							Component	ATA:73
PN:57847	MOS/MSC	17-May-21	O/C		TSN 0				
SN:GE-7647	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A									
732301	NO. 2 ENGINE - ELEC FUEL FILTER INDICATOR							Component	ATA:73
PN:57847	MOS/MSC	17-May-21	O/C		TSN 0				
SN:GE-7643	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: LMM 73-23-01-801A-520A-A, LMM 73-23-01-801A-720A-A									
732500	LEFT ENGINE FADEC							Component	ATA:73
PN:221900	MOS/MSC	17-May-21	O/C		TSN 0				
SN:60064	HRS	0			TSN 0				
WC#: 73.060	AFL	0			TSN 0				
PROC. REF: AMM 76-12-05									
732500	RIGHT ENGINE FADEC							Component	ATA:73
PN:221900	MOS/MSC	17-May-21	O/C		TSN 0				
SN:60067	HRS	0			TSN 0				
WC#: 73.060	AFL	0			TSN 0				
PROC. REF: AMM 76-12-05									
732610 <sup>S</sup>	NO. 1 ENGINE - SAVE ENGINE AND FADEC DATA AND SEND TO WILLIAMS INTERNATIONAL							Service	ATA:73
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 73-26-01-802A-913A-A									
732610 <sup>S</sup>	NO. 2 ENGINE - SAVE ENGINE AND FADEC DATA AND SEND TO WILLIAMS INTERNATIONAL							Service	ATA:73
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 73-26-01-802A-913A-A									
732615 <sup>S</sup>	NO. 1 ENGINE - USE EMT TO INTERROGATE FADEC FOR OPERATIONAL LIMIT EXCEEDANCES							Service	ATA:73
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 73-26-01-802A-913A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>								
<b>732615<sup>S</sup> NO. 2 ENGINE - USE EMT TO INTERROGATE FADEC FOR OPERATIONAL LIMIT EXCEEDANCES Service ATA:73</b>								
	MOS	21-Oct-22						
	HRS	315.9	300 (+30)					
	ENC	272						
PROC. REF: LMM 73-26-01-802A-913A-A								PKG:1,2
<b>732620<sup>S</sup> NO. 1 ENGINE - PERFORM PMA PHASE OUT TEST ON FADEC AND FDU Service ATA:73</b>								
	MOS	17-May-21						
	HRS	0	600 (+30)					
	ENC	0						
PROC. REF: LMM 73-26-01-804A-913A-A								PKG:2
<b>732620<sup>S</sup> NO. 2 ENGINE - PERFORM PMA PHASE OUT TEST ON FADEC AND FDU Service ATA:73</b>								
	MOS	17-May-21						
	HRS	0	600 (+30)					
	ENC	0						
PROC. REF: LMM 73-26-01-804A-913A-A								PKG:2
<b>733001 LEFT ENGINE FUEL FLOW TRANSMITTER Component ATA:73</b>								
PN:1573-4	MOS/MSC	17-May-21	O/C		TSN 0			
SN:145	HRS	0			TSN 0			
WC#: 73.040	AFL	0			TSN 0			
PROC. REF: AMM 73-30-10								
<b>733001 NO. 1 ENGINE - FUEL FLOW TRANSMITTER Component ATA:73</b>								
PN:1573-4	MOS/MSC	17-May-21	O/C		TSN 0			
SN:145	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: GENERIC NO REF								
<b>733001 NO. 2 ENGINE - FUEL FLOW TRANSMITTER Component ATA:73</b>								
PN:1573-4	MOS/MSC	17-May-21	O/C		TSN 0			
SN:127	HRS	0			TSN 0			
	ENC	0			TSN 0			
PROC. REF: GENERIC NO REF								
<b>733001 RIGHT ENGINE FUEL FLOW TRANSMITTER Component ATA:73</b>								
PN:1573-4	MOS/MSC	17-May-21	O/C		TSN 0			
SN:127	HRS	0			TSN 0			
WC#: 73.040	AFL	0			TSN 0			
PROC. REF: AMM 73-30-10								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 73 - ENGINE FUEL AND CONTROL</b>									
B732001 <sup>S</sup>	OPERATIONAL CHECK TT2 SENSOR: INSPECTION DOCUMENT 10							Service	ATA:73
	MOS	17-May-21	36 (+2m)						
	HRS	0	1200 (+30)						
WC#: 73.050	AFL	0							
PROC. REF: AMM 73-20-05								PKG:10	
<b>ATA 74 - IGNITION</b>									
741010	NO. 1 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68032	MOS/MSC	31-Aug-23	O/C	TSN 0					
SN:CK-2301851	HRS	444.8		TSN 0					
	ENC	369							
PROC. REF: LMM 74-10-01-801A-520A-A, LMM 74-10-01-801A-720A-A									
741010	NO. 2 ENGINE - INBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC	17-May-21	O/C	TSN 0					
SN:CK-2100026	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A, LMM 74-10-01-801A-720A-A									
741020	NO. 1 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC	17-May-21	O/C	TSN 0					
SN:CK-2001868	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A, LMM 74-10-01-801A-720A-A									
741020	NO. 2 ENGINE - OUTBOARD IGNITION EXCITER							Component	ATA:74
PN:68145	MOS/MSC	17-May-21	O/C	TSN 0					
SN:CK-2000163	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-10-01-801A-520A-A, LMM 74-10-01-801A-720A-A									
742037 <sup>S</sup>	NO. 1 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 74-22-01-801A-310A-A								PKG:1,2	

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 74 - IGNITION</b>									
742037 <sup>S</sup>	NO. 2 ENGINE - REMOVE/VISUALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
					PROC. REF: LMM 74-22-01-801A-310A-A			PKG:1,2	
742040 <sup>S</sup>	NO. 1 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
					PROC. REF: LMM 74-00-10-801A-340A-A			PKG:1,2	
742040 <sup>S</sup>	NO. 2 ENGINE - OPERATIONAL TEST IGNITION SYSTEM							Service	ATA:74
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
					PROC. REF: LMM 74-00-10-801A-340A-A			PKG:1,2	
742050 <sup>S</sup>	NO. 1 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
					PROC. REF: LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1,2	
742050 <sup>S</sup>	NO. 2 ENGINE - DIMENSIONALLY INSPECT IGNITER PLUGS							Service	ATA:74
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
					PROC. REF: LMM 74-22-01-802A-361A-A, LMM 74-22-01-803A-361A-A			PKG:1,2	
742201	NO. 1 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	17-May-21	O/C		TSN 0				
SN:CK-2100161	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-801A-720A-A				
742201	NO. 1 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	17-May-21	O/C		TSN 0				
SN:CK-2100096	HRS	0			TSN 0				
	ENC	0			TSN 0				
					PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-801A-720A-A				

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task





# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 74 - IGNITION</b>									
742201	NO. 2 ENGINE - INBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	17-May-21	O/C	TSN 0					
SN:CK-2100126	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-801A-720A-A									
742201	NO. 2 ENGINE - OUTBOARD IGNITOR							Component	ATA:74
PN:68032	MOS/MSC	17-May-21	O/C	TSN 0					
SN:CK-2100155	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 74-22-01-801A-520A-A, LMM 74-22-01-801A-720A-A									
<b>ATA 75 - AIR</b>									
753010 <sup>S</sup>	NO. 1 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	17-May-21							
	HRS	0	600 (+30)						
	ENC	0							
PROC. REF: LMM 75-30-01-801A-310A-A									
753010 <sup>S</sup>	NO. 2 ENGINE - INSPECT ACCELERATION BLEED SYSTEM							Service	ATA:75
	MOS	17-May-21							
	HRS	0	600 (+30)						
	ENC	0							
PROC. REF: LMM 75-30-01-801A-310A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 76 - ENGINE CONTROLS</b>									
762005	NO. 1 ENGINE - FRT BRG, HP SHAFT HOUSING ASSEMBLY							Component	ATA:76
PN:56195	MOS/MSC	17-May-21	O/C	TSN 0					
SN:JDM-01204	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
762005	NO. 2 ENGINE - FRT BRG, HP SHAFT HOUSING ASSEMBLY							Component	ATA:76
PN:56195	MOS/MSC	17-May-21	O/C	TSN 0					
SN:JDM-01191	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
B761201 <sup>S</sup>	OPERATIONAL CHECK TIME LIMITED DISPATCH (TLD): INSPECTION DOCUMENT MP							Service	ATA:76
	MOS	12-May-23	12					AIRWORTHINESS	
	HRS	392.5	250						
	AFL	325							
PROC. REF: AMM 76-12-05									
PKG:50									
<b>ATA 77 - ENGINE INDICATING</b>									
771005	NO. 1 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355	MOS/MSC	17-May-21	O/C	TSN 0					
SN:HCS2114975	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-11-01-801A-520A-A, LMM 77-11-01-801A-720A-A									
771005	NO. 2 ENGINE - N1 DUAL MAGNETIC SPEED SENSOR							Component	ATA:77
PN:57355	MOS/MSC	17-May-21	O/C	TSN 0					
SN:HCS2114972	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-11-01-801A-520A-A, LMM 77-11-01-801A-720A-A									
771005A	NO. 1 ENGINE - TT2 SENSOR							Component	ATA:77
PN:114944	MOS/MSC	17-May-21	O/C	TSN 0					
SN:AXT0202990	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: LMM 77-22-04-801A-520A-A, LMM 77-22-04-801A-720A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
<b>ATA 77 - ENGINE INDICATING</b>								
<b>771005A NO. 2 ENGINE - TT2 SENSOR</b> <span style="float:right">Component ATA:77</span>								
PN:114944	MOS/MSC	17-May-21	O/C	TSN 0				
SN:AXT0202888	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-22-04-801A-520A-A, LMM 77-22-04-801A-720A-A								
<b>771015 NO. 1 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR</b> <span style="float:right">Component ATA:77</span>								
PN:54831	MOS/MSC	17-May-21	O/C	TSN 0				
SN:HCS-2102700	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-12-01-801A-520A-A, LMM 77-12-01-801A-720A-A								
<b>771015 NO. 2 ENGINE - N2 DUAL MAGNETIC SPEED SENSOR</b> <span style="float:right">Component ATA:77</span>								
PN:54831	MOS/MSC	17-May-21	O/C	TSN 0				
SN:HCS-2102702	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: LMM 77-12-01-801A-520A-A, LMM 77-12-01-801A-720A-A								
<b>772002 NO. 1 ENGINE - ITT HARNESS</b> <span style="float:right">Component ATA:77</span>								
PN:75378	MOS/MSC	17-May-21	O/C	TSN 0				
SN:EMX004326	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>772002 NO. 2 ENGINE - ITT HARNESS</b> <span style="float:right">Component ATA:77</span>								
PN:75378	MOS/MSC	17-May-21	O/C	TSN 0				
SN:EMX004461	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>772205 NO. 1 ENGINE - PT2 PRESSURE DUAL SENSOR</b> <span style="float:right">Component ATA:77</span>								
PN:113762	MOS/MSC	17-May-21	O/C	TSN 0				
SN:AXT0103007	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								
<b>772205 NO. 2 ENGINE - PT2 PRESSURE DUAL SENSOR</b> <span style="float:right">Component ATA:77</span>								
PN:113762	MOS/MSC	17-May-21	O/C	TSN 0				
SN:AXT0102936	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 77 - ENGINE INDICATING</b>									
774405	NO. 1 ENGINE - HARNESS, ENGINE, DUEL CHAN ECU ASSEMBLY							Component	ATA:77
PN:219784	MOS/MSC	17-May-21	O/C	TSN 0					
SN:WS00070	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
774405	NO. 2 ENGINE - HARNESS, ENGINE, DUEL CHAN ECU ASSEMBLY							Component	ATA:77
PN:219784	MOS/MSC	17-May-21	O/C	TSN 0					
SN:WS00023	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 79 - OIL</b>									
792015 <sup>S</sup>	NO. 1 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A									
792015 <sup>S</sup>	NO. 2 ENGINE - INSTALL NEW OIL FILTER							Service	ATA:79
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 79-21-01-801A-520A-A, LMM 79-21-01-801A-720A-A									
792020 <sup>S</sup>	NO. 1 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 79-30-01-801A-310A-A									
792020 <sup>S</sup>	NO. 2 ENGINE - REMOVE/INSPECT MAGNETIC CHIP COLLECTORS							Service	ATA:79
	MOS	21-Oct-22							
	HRS	315.9	300 (+30)						
	ENC	272							
PROC. REF: LMM 79-30-01-801A-310A-A									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
792025 <sup>S</sup>	NO. 1 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	17-May-21							
	HRS	0	600 (+30/-30)						
	ENC	0							
	PROC. REF: LMM 72-00-03-803A-200A-A							PKG:2	
792025 <sup>S</sup>	NO. 2 ENGINE - CHANGE OIL							Service	ATA:79
	MOS	17-May-21							
	HRS	0	600 (+30/-30)						
	ENC	0							
	PROC. REF: LMM 72-00-03-803A-200A-A							PKG:2	
792201	NO. 1 ENGINE - LUBE OIL COOLER							Component	ATA:79
PN:121535	MOS/MSC	17-May-21	O/C	TSN 0					
SN:PP3692	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-22-01-801A-720A-A								
792201	NO. 2 ENGINE - LUBE OIL COOLER							Component	ATA:79
PN:121535	MOS/MSC	17-May-21	O/C	TSN 0					
SN:PP3728	HRS	0		TSN 0					
	ENC	0		TSN 0					
	PROC. REF: LMM 79-22-01-801A-520A-A, LMM 79-22-01-801A-720A-A								
792401	NO. 1 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:223193	MOS	17-May-21		TSN 0				OVERHAUL	
SN:50092	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	4555.2 (+100)		
	ENC	0		TSN 0					
	PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								
792401	NO. 2 ENGINE - LUBE AND SCAVENGE PUMP							Component	ATA:79
PN:223193	MOS	17-May-21		TSN 0				OVERHAUL	
SN:50093	HRS	0	5000 (+100)	TSN 0	(5000) 5000	5100	4555.2 (+100)		
	ENC	0		TSN 0					
	PROC. REF: LMM 79-24-01-801A-520A-A, LMM 79-24-01-801A-720A-A								

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793002	LEFT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	17-May-21	O/C		TSN 0				
SN:270247	HRS	0			TSN 0				
WC#: 79.020	AFL	0			TSN 0				
PROC. REF: AMM 79-30-10									
793002	RIGHT ENGINE OIL TEMPERATURE TRANSMITTER							Component	ATA:79
PN:MS28034-3	MOS/MSC	17-May-21	O/C		TSN 0				
SN:270212	HRS	0			TSN 0				
WC#: 79.020	AFL	0			TSN 0				
PROC. REF: AMM 79-30-10									
793006	LEFT ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:S1103P89-3	MOS/MSC	17-May-21	O/C		TSN 0				
SN:4701	HRS	0			TSN 0				
WC#: 79.040	AFL	0			TSN 0				
PROC. REF: AMM 79-30-05									
793006	NO. 1 ENGINE - OIL PRESSURE SWITCH							Component	ATA:79
PN:S1103P89-3	MOS/MSC	17-May-21	O/C		TSN 0				
SN:4701	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
793006	NO. 2 ENGINE - OIL PRESSURE SWITCH							Component	ATA:79
PN:S1103P89-3	MOS/MSC	17-May-21	O/C		TSN 0				
SN:4702	HRS	0			TSN 0				
	ENC	0			TSN 0				
PROC. REF: GENERIC NO REF									
793006	RIGHT ENGINE OIL PRESSURE SWITCH							Component	ATA:79
PN:S1103P89-3	MOS/MSC	17-May-21	O/C		TSN 0				
SN:4702	HRS	0			TSN 0				
WC#: 79.040	AFL	0			TSN 0				
PROC. REF: AMM 79-30-05									
793008	LEFT OIL TRANSDUCER							Component	ATA:79
PN:APTE-598A-1000-200GMOS/MSC		17-May-21	O/C		TSN 0				
SN:8817-1-158	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



# Status Report

Model: CITATION M2 Serial: 525-1081 RegNo: N916JL HRS: 444.8 AFL: 369 As Of: 31-Aug-2023

03-Sep-2023 03:01 PM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
<b>ATA 79 - OIL</b>									
793008	RIGHT OIL TRANSDUCER							Component	ATA:79
PN:APTE-598A-1000-200GMOS/MSC		17-May-21	O/C	TSN 0					
SN:8817-1-159	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC NO REF									
793311	NO. 1 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:79
PN:117626	MOS/MSC	17-May-21	O/C	TSN 0					
SN:44915	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
793311	NO. 2 ENGINE - INTERSTAGE HOUSING ASSEMBLY							Component	ATA:79
PN:117626	MOS/MSC	17-May-21	O/C	TSN 0					
SN:44920	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REF									
<b>ATA 80 - STARTING</b>									
801101	LEFT ENGINE STARTER/GENERATOR							Component	ATA:80
PN:MG94D-1	MOS	17-May-21		TSN 0				OVERHAUL	
SN:0391A	HRS	0	1000	TSN 0	1000		555.2		
WC#: 80.010	AFL	0		TSN 0					
PROC. REF: AMM 80-10-00									
801101	RIGHT ENGINE STARTER/GENERATOR							Component	ATA:80
PN:MG94D-1	MOS	17-May-21		TSN 0				OVERHAUL	
SN:0367A	HRS	0	1000	TSN 0	1000		555.2		
WC#: 80.010	AFL	0		TSN 0					
PROC. REF: AMM 80-10-00									

?-Insufficient Information S-Suppressed Requirement \*-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task